

III NETWORK



THE ORIGINAL HAND TOOL MANUFACTURER

Established in Huddersfield, West Yorkshire, in 1740, Richard Carter Ltd is owned and run by the 8th generation of the Carter family. Today, at Carters we focus on handcrafting the highest quality range of tools, for the professional user. Being a true manufacturer, we aim to provide tough, durable tools and replacement handles that can truly stand the test of time and work as hard as you do.

CARTERS SEAL OF APPROVAL



Introduced for 2018, we have developed the Carters Approved stamp, so you can be sure that whatever you buy from Carters is of the highest quality and comes with the following promise...

✓ RELIABILITY

Our products and customer service is something you can rely on to deliver exactly what you need, when you need it.

✓ DURABILITY

Our products are built to last and we test them all beyond the industry standard, so we can be sure each and every product will last as long as you need it to.

✓ TOUGH

Our raw materials are the best in the business, we make products that work for you and are as tough as you need them to be

✓ SINCERE

We believe you should treat people the way you'd like to be treated yourself and that's why we pride ourselves on always being honest and bringing products to the market that we genuinely believe are right for the job.


✓ UK MANUFACTURING

We've been based in Huddersfield, West Yorkshire since 1740 so it's clear we take pride in our Yorkshire roots but we are proud of the top quality products all UK manufacturers deliver.

✓ CONSISTENCY

With over 275 years of manufacturing under our belt, we know what makes the best tool and we continue to do what we do, making the best tools for any job you have.





OUR NEW RANGES

With over 275 years of experience, we know who buys our products and what they are used for. We know builders, farmers and park keepers, we know the products you use day in, day out and we know that quality is essential when you rely on the same tool to deliver results every day.

To make it easier for you - our customers - we have simplified our product range and created some new, distinct brands based on the various industries we consistently supply. We want you to easily identify the products you need and see what we have to offer instantly; time is precious, so the new ranges help you get the tools you need quickly.

4 SHOCKSAFE

Shocksafe is the UK's original premium insulated digging tool brand.

Introduction to Shocksafe

4 – /

Product Listings 8 – 11

X MAN MADE

Our Man Made range of tools are designed with the construction and utility industry in mind.

Introduction to Manmade

Product Listings

14 – 26

NETWORK

Our range of tools is developed with the UK rail network in mind.

Product Listings

CO ENDURANCE

A range of tools designed to withstand all elements for the agricultural industry.

Introduction to Endurance

Product Listings

♠ PERENNIAL

For all beautifully crafted horticulture the Perennial range was designed with parks and gardens in mind. Introduction to Perennial 40 – 41

Product Listings 42 – 47



REPLACEMENT HANDLES

Graded by hand and an expert eye, only the best raw materials are used to make our wooden products.

Introduction to Replacement Handles 48 – 49

Product Listings 50 – 54





♦ SHOCKSAFE

PIONEERS IN DEVELOPMENT

Innovating, manufacturing and developing insulated tools since 2002. Shocksafe insulated tools by Carters have been perfected through a continual improvement programme involving safety professionals, civil engineers, utility contractors and product design engineers.

Now in its 15th year, Shocksafe delivers the toughest, lightest and most load bearing shovel to date.

SAFETY THROUGH QUALITY

The Shocksafe insulated range is handmade at Carters modern 45,000 sq/ft manufacturing headquarters in Huddersfield, West Yorkshire. Each tool is manufactured to exacting specifications using stringent documentation processes: incorporating 5 separate and completely traceable preconditioning tests for the major components utilised.

Every single Shocksafe tool is then flash tested to 10,000 Volts before the issue of a number and certificate, completely unique to each implement: our guarantee of quality to the end user in a potentially dangerous live-working environment.

GUARANTEE

Our Shocksafe shovels are doubly protected by twin layers of polymer sheathing, moulded over the rigid fibreglass core. The orange insulation used for the outer sheathing has been developed for its high voltage and abrasion resistance properties. If the white inner sleeve becomes visible, the tool should be removed from use around live working conditions. A specially integrated hand stop prevents the user's hand slipping onto the steel blade.

Each tool comes with a 12 month major manufacturing defect guarantee from date of manufacture.



EVOLUTION OF THE RANGE 2002-PRESENT



2018 TESTING PROCEDURES

Relaunched for 2018, our improved Patented Specification has been innovatively re-engineered to ensure there are no weak parts or adhesives.

A truly revolutional alteration that increases its strength and endurance for the toughest of environments.



6

Handle length: 711mm

Weight: 2.5kg



Handle length: 711mm

Weight: 2.4kg

Handle length: 711mm

Weight: 2.3kg

8

4 SHOCKSAFE

Handle length: 711mm

Weight: 2.5kg

Handle length: 711mm

Weight: 2.4kg





10



SOLID SOCKET, ALL STEEL SHOVELS, SPADES & FORKS



No.2 Square Mouth

Handle: Steel MYD Blade: 254 x 318mm Handle length: 711mm Weight: 2.6kg

No.2 Taper Mouth

Handle: Steel MYD Blade: 254 x 216 x 318mm Handle length: 711mm Weight: 2.5kg

Cable Layer (1-way)

Handle: Steel MYD Blade: 140 x 114 x 279mm Handle length: 711mm Weight: 2.1kg

GPO Trench (2-way)

Handle: Steel MYD Blade: 178 x 279mm Handle length: 711mm Weight: 2.5kg

16SSMY **Newcastle Drainer**

Handle: Steel MYD Blade: 178 x 102 x 406mm Handle length: 711mm Weight: 2.8kg



GENSSMY

General Service Handle: Steel MYD Blade: 203 x 267mm

Treaded

Handle: Steel MYD Blade: 191 x 292mm Handle length: 711mm Handle length: 711mm

Weight: 2.3kg

Treaded Spade

Clay Grafter

Handle: Steel MYD Blade: 152 x 305mm Handle length: 711mm Weight: 2.3kg

No.2 Round Mouth

Handle: Steel MYD Blade: 254 x 318mm Handle length: 711mm Weight: 2.6kg

Handle: Steel MYD Fork: 203 x 305mm Handle length: 711mm Weight: 2.7kg

Contractors Fork

SOLID SOCKET, ASH MYD SHOVELS SPADES & FORKS











No.2 Square Mouth

2SSAMY

Handle: Ash MYD Blade: 254 x 318mm Handle length: 711mm Weight: 2.6kg

No.2 Taper Mouth Handle: Ash MYD

Blade: 254 x 216 x 318mm Handle length: 711mm Weight: 2.5kg

Cable Layer (1-way)

Handle: Ash MYD Blade: 140 x 114 x 279mm Handle length: 711mm Weight: 2.1kg

GPO Trench (2-way)

TRSAMY

Handle: Ash MYD Blade: 178 x 279mm Handle length: 711mm Weight: 2.4kg

Newcastle Drainer Handle: Ash MYD

Handle length: 711mm

Weight: 2.8kg

Blade: 178 x 102 x 406mm

GENSAMY

Treaded

General Service

Blade: 203 x 268mm

Handle length: 711mm

Handle: Ash MYD

Weight: 2.2kg



Treaded Spade

Blade: 191 x 292mm

Handle length: 711mm

Handle: Ash MYD

Weight: 2.3kg





2RSAMY **No.2 Round Mouth**

Handle: Ash MYD Blade: 254 x 318mm Handle length: 711mm Weight: 2.6kg

Contractors Fork

Handle: Ash MYD Blade: 203 x 305mm Handle length: 711mm Weight: 2.3kg

THE ORIGINAL HAND TOOL MANUFACTURER

*Forward treads available on most shovels - fitted as optional extra.

WWW.RICHARDCARTERLTD.CO.UK

Weight: 2.5kg

SOLID SOCKET, FIBREMAX MYD SHOVELS SPADES & FORKS

* THIS RANGE IS TREADED **AS STANDARD**











2STRMAX No.2 Square Mouth

Handle: Fibreglass Blade: 254 x 318mm Handle length: 711mm Weight: 2.4kg

No.2 Taper Mouth

2TTRMAX

Handle: Fibreglass Blade: 254 x 216 x 318mm Handle length: 711mm Weight: 2.4kg

Cable Layer (1-way)

CITRMAX

Handle: Fibreglass Blade: 140 x 114 x 279mm Handle length: 711mm Weight: 2.2kg

GPO Trench (2-way)

TRTRMAX

Handle: Fibreglass Blade: 178 x 279mm Handle length: 711mm Weight: 2.3kg

Newcastle Drainer

Handle: Fibreglass Blade: 178 x 102 x 406mm Handle length: 711mm Weight: 2.6kg













GENSSMAX

Treaded General Service

Handle: Fibreglass Blade: 203 x 267mm Handle length: 711mm Weight: 2.3kg

TSSSMAX

Handle: Fibreglass Blade: 191 x 292mm Handle length: 711mm

Treaded Spade

Weight: 2.4kg

Clay Grafter

Handle: Fibreglass Blade: 152 x 305mm Handle length: 711mm Weight: 2.4kg

No.2 Round Mouth

Handle: Fibreglass Blade: 254 x 318mm Handle length: 711mm Weight: 2.4kg

Handle: Fibreglass Fork: 203 x 305mm Handle length: 711mm Weight: 2.3kg

Contractors Fork

SOLID SOCKET, POLYFIBRE SHOVELS, SPADES & FORKS











No.2 Square Mouth

2SSSPF

Handle: Polyfibre Blade: 254 x 318mm Handle length: 711mm Weight: 2.4kg

No.2 Taper Mouth Handle: Polyfibre

Blade: 254 x 216 x 318mm Handle length: 711mm Weight: 2.4kg

Cable Layer (1-way)

Handle: Polyfibre Blade: 140 x 114 x 279mm Handle length: 711mm Weight: 2.2kg

Handle: Polyfibre

Blade: 178 x 279mm Handle length: 711mm Weight: 2.3kg

Handle: Polyfibre Blade: 178 x 102 x 406mm Handle length: 711mm Weight: 2.6kg











GENSPF Treaded

General Service Handle: Polyfibre Blade: 203 x 267mm

Weight: 2.3kg

Handle length: 711mm

Handle: Polyfibre Blade: 191 x 292mm Handle length: 711mm Weight: 2.4kg

TSSSPF

THE ORIGINAL HAND TOOL MANUFACTURER

Treaded Spade

Handle: Polyfibre Blade: 152 x 305mm Handle length: 711mm Weight: 2.4kg

Clay Grafter No.2 Round Mouth

Handle: Polyfibre Blade: 254 x 318mm Handle length: 711mm Weight: 2.4kg

Handle: Polyfibre Fork: 203 x 305mm Handle length: 711mm Weight: 2.3kg

Contractors Fork

^{*}Forward treads available on most shovels fitted as optional extra.

SOLID SOCKET, ASH T SHOVELS & SPADES





No.2 Taper Mouth Handle: Ash T Blade: 254 x 216 x 318mm Handle length: 711mm

Weight: 2.4kg



Handle: Ash T Blade: 140 x 114 x 279mm Handle length: 711mm Weight: 2.2kg



16SSAT

Handle: Ash Shaped T Blade: 178 x 102 x 406mm Handle length: 711mm Weight: 2.5kg



GENSSAT Treaded **General Service**

Handle: Ash Shaped T Blade: 203 x 268mm Handle length: 711mm Weight: 2.2kg



TSSSAT

2SSSAT

Handle: Ash T

Weight: 2.4kg

Blade: 254 x 318mm

Handle length: 711mm

No.2 Square Mouth

Treaded Spade

Handle: Ash T Blade: 191 x 292mm Handle length: 711mm Weight: 2.3kg

2RSSAT

Handle: Ash T

Weight: 2.3kg

Blade: 254 x 318mm

Handle length: 711mm

No.000 **No.2 Round Mouth Square Mouth**

Handle: Ash T Blade: 203 x 268mm Handle length: 711mm Weight: 2.2kg

30SSAT



ISSSAT36

Treaded Irish Spade

Handle: Ash Shaped T Blade: 184 x 330mm Handle length: 914mm Weight: 2.4kg Also available with 48" handle



Handle: Ash Blade: 241 x 356mm Total height: 1372mm Weight: 2.1kg



OUR BUDGET RANGE USES LIGHTER DUTY, THINNER GAUGE MATERIAL. GIVING AN ASSURED QUALITY AT A COST EFFECTIVE PRICE.



REPLACEMENT HANDLES ARE AVAILABLE **FOR THIS RANGE**



02OSPY

No.2 O/S **Square Mouth** Handle: Ash Plastic YD

Blade: 254 x 318mm Handle length: 711mm Weight: 2kg



02OSAT

No.2 O/S **Square Mouth**

Handle: Ash T Blade: 254 x 318mm Handle length: 711mm Weight: 2kg



02OSFY

No.2 O/S Square **Mouth Economy** Handle: Hardwood YD

Plastic YD Blade: 254 x 318mm Handle length: 711mm Weight: 2kg



02OSFT

No.2 O/S Square **Mouth Economy**

Handle: Hardwood T Blade: 254 x 318mm Handle length: 711mm Weight: 2kg



No.4 O/S **Square Mouth**

Handle: Ash Plastic YD Blade: 279 x 345mm Handle length: 711mm Weight: 2.2kg



04OSAT

No.4 O/S **Square Mouth**

Handle: Ash T Blade: 279 x 345mm Handle length: 711mm Weight: 2.2kg



THE ORIGINAL HAND TOOL MANUFACTURER

Mouth Economy Handle: Hardwood YD Plastic YD Blade: 279x343mm Handle length: 711mm Weight: 2.2kg



Handle: Hardwood T Blade: 279x343mm Handle length: 711mm Weight: 2.2kg



SPEC02EY

Handle: Hardwood YD Handle length: Weight: 2kg

SPEC02EP48

No.2 O/S Sq. No.2 O/S Sq. Mouth Budget Mouth Budget Mouth Budget Handle: Handle:

Hardwood Handle length: 1220mm Weight: 2.1kg

No.2 O/S Sq.

SPEC02ET

Hardwood T Blade: 254 x 318mm Blade: 254 x 318mm Blade: 254 x 318mm Handle length: Weight: 2kg

WWW.RICHARDCARTERLTD.CO.UK 18

THE ORIGINAL HAND TOOL MANUFACTURER

19

REPLACEMENT HANDLES

ARE AVAILABLE ON TIMBER SHAFTED ITEMS

RAKES & SPAZZLES









16AREP

16T Sq. Asphalt Rake

Handle: Hardwood Blade: 406 x 102mm Handle length: 1680mm Weight: 2.5kg

16T Sq. Asphalt Rake

16ARTS

THE PERSON NAMED IN COLUMN 1

Handle: Tubular Steel Blade: 406 x 102mm Handle length: 1680mm Weight: 2.1kg

16TREP

16T Rnd. Tarmac Rake

Handle: Hardwood Blade: 406 x 102mm Handle length: 1680mm Weight: 2.5kg

16TRTS

16T Rnd. Tarmac Rake

Handle: Tubular Steel Blade: 406 x 102mm Handle length: 1680mm Weight: 2.1kg









ALUSPA

Aluminium Spazzle

Handle: Hardwood Blade: 600 x 125mm Handle length: 1500mm Weight: 1.7kg

WOOSPA

Wooden Spazzle

Handle: Hardwood Blade: 610 x 102mm Handle length: 1500mm Weight: 1.8kg

CPLAALTS

Aluminium **Concrete Placer**

Handle: Tubular Steel Blade: 508 x 152mm Handle length: 1500mm Weight: 1.5kg

CPRAALTS

Aluminium **Concrete Rake**

Handle: Tubular Steel Blade: 508 x 152mm Handle length: 1500mm Weight: 1.5kg

PUNNERS & POST HOLING EQUIPMENT





10 lb Sq. Rammer

10SRTS

Handle: Tubular Steel Head: 133 x 133mm Handle length: 1220mm Weight: 6kg

10 lb Sq. Rammer

Handle: Fibreglass Head: 133 x 133mm Handle length: 1220mm Weight: 6.5kg

10SRFG


10 lb Sq. Rammer Handle: Ash

10SRAP

Head: 133 x 133mm Handle length: 1220mm Weight: 6kg

10 lb Rnd. Rammer Handle: Tubular Steel

Head: 133 x 133mm Weight: 6kg













22lb Rect. Rammer

08ATAP

8" Asphalt Tamper

Handle: Ash Head: 203 x 203mm Handle length: 1220mm Weight: 5kg

GPO Post Hole Spade

POSSPA

Handle: Tubular Steel Blade: 305 x 140mm Handle length: 1450mm Weight: 3.9kg

Heavy Duty Shov-Holer

Handle: Ash Blade: 203 x 660mm Handle length: 1350mm Weight: 6.8kg

Heavy Duty

Handle: Tubular Steel Blade: 203 x 660mm Handle length: 1525mm Weight: 6.5kg

Shov-Holer

POSTFG54 **Heavy Duty**

Handle: Fibreglass Blade: 203 x 660mm Handle length: 1550mm Weight: 7kg

Shov-Holer



16CH12

16oz Chipping Hammer

Handle: Hickory Handle length: 305mm Weight: 0.6kg

16CHFG

16oz Chipping Hammer

Handle: Fibreglass Handle length: 305mm Weight: 0.8kg

16CHEC

16oz Chipping Hammer Economy

Handle: Hardwood Handle length: 305mm Weight: 0.6kg

16CL13, 20CL14

Claw Hammer

160z, 20oz

Handle: Hickory Handle length: 330mm, 356mm Weight: 0.6kg, 0.7kg 16CLAS, 20CLAS

160z, 20oz **Claw Hammer**

Handle: Forged Steel Handle length: 330mm, 356mm Weight: 0.6kg, 0.8kg



16CLFG, 20CLFG

160z, 20oz **Claw Hammer**

Handle: Fibreglass Handle length: 330mm Weight: 0.7kg, 0.8kg

16CLTS 20CLTS

160z, 20oz **Claw Hammer**

Handle: Tubular Steel Handle length: 330mm Weight: 0.7kg, 0.8kg

20MP10

Mortar Pick

Handle: Hickory Handle length: 280mm Weight: 0.7kg

25BH10

Brick Hammer

Handle: Hickory Handle length: 254mm Weight: 0.6kg

25BHAS

Fully Forged **Brick Hammer**

Handle: Forged Steel Handle length: 254mm Weight: 0.8kg



25BHTS

22

Brick Hammer

Handle: Tubular Steel Handle length: 254mm Weight: 0.7kg

Ball Pein Engineers 1/4lb to 3lb available

	Code	O5BP12	75BP12	10BP13	15BP15	20BP16	25BP17	30BP18
	Handle	305mm	305mm	330mm	381mm	406mm	432mm	457mm
	Head	0.25kg/0.5lb	0.35kg/0.75lb	0.55kg/1lb	0.7kg/1.5lb	1kg/2lb	1.2kg/2.5lb	1.4kg/3lb



25LU10 40LU10

25LUFG 40LUFG

21/2lb, 4lb **Club Hammer**

Handle: Hickory Handle length: 254mm Weight: 1.3kg, 2.1kg

21/2lb, 4lb **Club Hammer**

Handle: Fibreglass Handle length: 254mm Weight: 1.3kg, 2.1kg

DESK10

Double End Scutch Hammer

Handle: Hickory Handle length: 254mm Weight: 1.1kg

10SP00 15SP00 15SC00 20SC00

> Scutch Combs & Droves 100/pack

10SC00

Weights: 1.5kg, 1.6kg, 2.2kg, 2.7kg, 2.9kg

25LUEC 40LUEC

21/2lb, 4lb Club **Hammer Budget**

Handle: Hardwood Total height: 254mm Weight: 1.3kg/2.1kg



07DFFG

10DFFG

14DFFG

07NPCP

Sledge Hammers 71b to 14lb available

04DF24 | 07DF30 | 10DF36 | 12DF36 14DF36 28DF36 Code Handle 610mm 750mm 900mm 900mm 900mm 900mm 2.3kg/ 3.9kg/ 5.4kg/ 6.2kg/ 7kg/ 14kg/ 28lb 7lb 10lb 12lb 12lb 4lb

Sledge Hammers 4lb to 14lb available

Handle: Fibreglass Handle length: 914mm Weight: 4.1kg, 5.5kg, 7.3kg

7lb Chisel & Point Navvy Pick

Weight: 3.2kg For handles see page 51



07NPCC

71b Mattock Chisel

Weight: 3.2kg For handles see page 51 05GMCC

5lb Grubbing Mattock

Weight: 2.3kg For handles see page 51 05GMCP

51b Mattock Pick

Weight: 2.3kg For handles see page 51 10RM41

10lb Rubber **Paving Maul**

Handle: Hickory Head: 125 x 300mm Handle length: 1041mm Weight: 6.8kg

WDML42

8" Wooden **Paving Mallet**

Handle: Ash Head: 200 x 300mm Handle length: 1060mm Weight: 7.2kg


WWW.RICHARDCARTERLTD.CO.UK WWW.RICHARDCARTERLTD.CO.UK THE ORIGINAL HAND TOOL MANUFACTURER THE ORIGINAL HAND TOOL MANUFACTURER


CROWBARS & WRECKING BARS

Weight: 0.66kg

Weight: 0.8kg

24







Blade: 57mm

Weight: 0.5kg, 0.7kg, 0.8kg

Slaters Ripper Fabricated

Total height: 457mm

Weight: 1kg

Slaters Ripper
Fabricated
Solid Forged
Total height: 457mm
Weight: 1kg
Total height: 508mm
Weight: 1.5kg

Solid Forged

Total height: 508mm
Weight: 1.5kg

Slaters Axe

Weight: 2kg, 1.2kg



JERRY5 JERRY10 JERRY20 JERSPO

5L Jerry Can

10L Jerry Can

20L Jerry Can

Jerry Can Spout

Weight: 1.9kg

Weight: 3.8kg

Weight: 3.8kg

Weight: 0.5kg



 100mm Concrete Test Cube
 150mm Concrete Test Cube Rammer
 Man-Hole Key

 Weight: 7.3kg
 Weight: 9.8kg
 Weight: 2.1kg
 Total height: 178mm,305mm, 457mm Weight: 0.5kg, 0.7kg, 1.2kg

Sold as pairs

WWW.RICHARDCARTERLTD.CO.UK

THE ORIGINAL HAND TOOL MANUFACTURER

WWW.RICHARDCARTERLTD.CO.UK

26





09PFAMY 9 Prong Industrial **Ballast Fork** Handle: Ash MYD

Blade: 254x368mm

Weight: 2.6kg

Handle length: 711mm



Carters has been supplying trackside tools since the Industrial

for this industry. As the rail network in the UK is under 'round the clock' maintenance, we have the forks, shovels and hand tools

Revolution. Our Network range, with Shocksafe versions available for live track working conditions, are the ideal choice

to make the job just that little bit easier.





10lb Keying Hammer

10KYFGINS

Weight: 5.9kg

10lb Keying Hammer

Handle: Shocksafe Fibreglass

Handle length: 914mm

10KY36

Handle: Hickory

Weight: 5kg

Handle length: 900mm



De-clipping Bar

Handle: Carbon Steel

Handle length: 1524mm

Blade: 32mm A/F

Weight: 8.8kg

& Point Crowbar

Handle: Carbon Steel

Handle length: 1500mm

27

Blade: 32mm A/F

Weight: 8.2kg

WWW.RICHARDCARTERLTD.CO.UK WWW.RICHARDCARTERLTD.CO.UK THE ORIGINAL HAND TOOL MANUFACTURER THE ORIGINAL HAND TOOL MANUFACTURER

07KY36

7lb Keying Hammer

Handle length: 900mm

Handle: Hickory

Weight: 3.7kg



FORGED MANURE & HAY FORKS





4 Prong Manure Fork

4PMFAP

Handle: Ash Fork: 229 x 343mm Handle length: 1500mm Weight: 1.7kg

4PMFAPST

4 Prong Strapped **Manure Fork**

Handle: Ash Fork: 229 x 343mm Handle length: 1500mm Weight: 1.6kg

4PMFAPCF

4 Prong Cap & **Ferrule Manure Fork**

Handle: Ash Fork: 229 x 343mm Handle length: 1500mm Weight: 1.6kg

4PMFAT

4 Prong Manure Fork

Handle: Ash T Fork: 229 x 343mm Handle length: 813mm Weight: 1.5kg



4PMFATST

4 Prong Strapped **Manure Fork**

Handle: Ash Shaped T Fork: 229 x 343mm Handle length: 813mm Weight: 1.5kg



4PMFTS

4 Prong Manure Fork

Handle: Tubular Poly T Fork: 229 x 343mm Handle length: 813mm Weight: 1.5kg



4PMFTY

4 Prong Manure Fork

Handle: Tubular Poly YD Fork: 229 x 343mm Handle length: 813mm Weight: 1.5kg



4PMFTP

4 Prong Manure Fork Handle: Tubular Steel

Fork: 229 x 343mm Handle length: 1220mm Weight: 1.7kg



5 Prong Strapped

Handle: Ash Shaped T

Manure Fork

Fork: 229 x 343mm Handle length: 813mm Weight: 1.6kg



Handle: Tubular Poly T

Handle length: 813mm

Fork: 229 x 343mm

Weight: 1.6kg

3PHFAPST

3 Prong Hay Fork Handle: Ash Blade: 191 x 343mm Handle length: 1500mm

Weight: 1.5kg

3PHFAP

Handle: Ash Blade: 191 x 343mm Handle length: 1500mm Weight: 1.5kg

6 Prong Ball End 3 Prong Strapped **Hay Fork Beet Fork**

> Handle: Ash T Blade: 305 x 368mm Handle length: 711mm Weight: 2kg

2PHFAP

5 Prong Manure Fork 5 Prong Manure Fork 2 Prong Hay Fork

5PMFTY

Handle: Tubular PYD Fork: 229 x 343mm Handle length: 813mm Weight: 1.6kg

Handle: Ash

Blade: 152 x 343mm Handle length: 1500mm Weight: 1.4kg



Potato Fork Handle: Ash T Blade: 254 x 368mm

Handle length: 711mm Weight: 2.3kg

9 Prong Ball End

2 Prong Strapped **Hay Fork** Handle: Ash

2PHFAPST

Blade: 152 x 343mm Handle length: 1500mm Weight: 1.4kg



4SMDAP **4 Prong Square Drag Fork**

Handle: Ash Blade: 203 x 305mm Handle length: 2000mm Weight: 2kg

31

OPEN SOCKET SHOVELS

SQ MOUTH SIZES All our square mouth shovels are available in a full range of sizes. No.0 - 9"x11½" No.2 - 10"x121/2" No.4 - 11"x13½" No.6 - 12"x141/2" No.8 - 13"x15½" No.10 - 14"x161/2"





06OSPY







06OSAT No.6 O/S Sq. Mouth Handle: Ash T Blade: 305 x 368mm Handle length: 711mm Weight: 2.3kg

No.6 O/S Sq. Mouth

Handle: Ash Plastic YD Handle: Hardwood T Blade: 305 x 368mm Blade: 305 x 368mm Handle length: 711mm Handle length: 711mm Weight: 2.3kg Weight: 2.3kg

No.6 O/S Sq. Mouth No.6 O/S Sq. Mouth **Economy Economy**

Handle: Hardwood Plastic YD Blade: 305 x 368mm Handle length: 711mm Weight: 2.3kg

No.8 O/S Sq. Mouth

Handle: Ash T Blade: 330 x 394mm Handle length: 711mm Weight: 2.5kg



08OSPY

No.8 O/S Sq. Mouth

Handle: Ash Plastic YD Blade: 330 x 394mm Handle length: 711mm Weight: 2.5kg



10OSAT

Handle: Ash T

Weight: 3kg

Blade: 356 x 419mm

Handle length: 711mm

No.10 O/S Sq. Mouth

No.10 O/S Sq. Mouth

Handle: Ash Plastic YD

Blade: 356 x 419mm

Handle length: 711mm

Weight: 3kg

10OSPY









Polypropylene **Grain Scoop**

Handle: Ash T Blade: 368 x 457mm Handle length: 711mm Weight: 1.4kg

PLGSPY

Polypropylene **Grain Scoop**

Handle: Ash Plastic YD Blade: 368 x 457mm Handle length: 711mm Weight: 1.4kg













REPLACEMENT

HANDLES ARE

AVAILABLE FOR

THESE RANGES

No.6 O/S Aluminium Handle: Ash T

06ALAT

Blade: 305 x 368mm Handle length: 711mm Weight: 1.6kg

Handle: Ash Plastic YD

Blade: 305 x 368mm Handle length: 711mm Weight: 1.6kg

Handle: Ash

Blade: 305 x 368mm Handle length: 1220mm Weight: 2kg

Handle: Ash T Blade: 330 x 394mm Handle length: 711mm Weight: 1.8kg

Handle: Ash Plastic YD Blade: 330 x 394mm Handle length: 711mm Weight: 1.8kg









No.8 OS Aluminium

Handle: Ash Blade: 330 x 394mm Handle length: 1220mm Weight: 2kg

08ALAP48

10ALAT **No.10 OS Aluminium**

Handle: Ash T Blade: 356 x 419mm Handle length: 711mm Weight: 1.8kg

No.10 OS Aluminium

Handle: Ash Plastic YD Blade: 356 x 419mm Handle length: 711mm Weight: 1.8kg

Alum. Grain Scoop

Handle: Ash T Blade: 318 x 394mm Handle length: 711mm Weight: 1.4kg

Alum. Grain Scoop

Handle: Ash Plastic YD Blade: 318 x 394mm Handle length: 711mm Weight: 1.4kg



Handle length: 711mm

Weight: 1.2kg

Handle length: 711mm

Weight: 1.6kg

Handle length: 711mm

Weight: 0.95kg

Handle length: 1372mm

Weight: 2kg

FENCING





Fencing Spade Handle: Tubular Steel

Blade: 210 x 279mm Handle length: 1372mm Weight: 3.9kg

Treaded Planting Spade Handle: Ash MYD

Weight: 2.1kg

Handle: Ash Blade: 152 x 268mm Blade: 150 x 200mm Handle length: 711mm Handle length: 1220mm Weight: 1.6kg

Style Hoe

2lb 'Chillington' **Carpenters Adze**

Handle: Hickory Blade: 125 x 300mm Handle length: 914mm Weight: 3.1kg

· H ·

Mushroom **Digging Bar**

Handle: Carbon Steel Head: 25mm dia Blade: 65 x 225mm Total height: 1775mm Weight: 7.2kg



POSDIGFG Lightweight

Shov-Holer

Handle: Fibreglass Blade: 152 x 406mm Handle length: 1220mm Weight: 4.8kg



POSDRI6 **Heavy Duty**

Post Driver (6") Handle: All Steel Diameter: 152mm dia Total height: 600mm Weight: 15.8kg



ALML41

No.2 Alum. Maul

Handle: Hickory Handle length: 1041mm Weight: 6.5kg



12FM36

12lb Cast Fencing Maul

Handle: Hickory Handle length: 914mm Weight: 6.5kg



10lb Cast Fencing Maul Handle: Fibreglass

10FMFG

Handle length: 914mm Weight: 5.5kg


WWW.RICHARDCARTERLTD.CO.UK THE ORIGINAL HAND TOOL MANUFACTURER WWW.RICHARDCARTERLTD.CO.UK THE ORIGINAL HAND TOOL MANUFACTURER 34

STRIKING TOOLS



S ENDURANCE







Handle: Hickory Handle length: 914mm Weight: 3.6kg

8lb Splitting Maul

Handle: Hickory Handle length: 914mm Weight: 4.6kg

6lb Burst Splitting Maul

Handle: Hickory Handle length: 914mm Weight: 3.6kg

06BMFG 6lb Burst

Handle: Fibreglass Handle length: 914mm Weight: 3.6kg

Splitting Maul



15HA14

11/2lb Hand Axe

Handle: Hickory Handle length: 357mm Weight: 1kg



15HAFG

11/2lb Hand Axe

Handle: Fibreglass Handle length: 357mm Weight: 1.1kg



25HA18

21/2lb Hand Axe

Handle: Hickory Handle length: 450mm Weight: 1.5kg



35SD16

31/2lb. Scottish Dyking

Handle: Hickory Handle length: 406mm Weight: 2.3kg



21/2lb Felling Axe

Handle: Hickory Handle length: 711mm Weight: 1.8kg

45FA36

41/2lb Felling Axe

Handle: Hickory Handle length: 914mm Weight: 2.8kg

41/2lb Felling Axe

Handle: Fibreglass Handle length: 914mm Weight: 2.9kg

6lb Felling Axe

Handle: Hickory Handle length: 914mm Weight: 3.7kg



04MP10

Handle: Hickory Handle length: 254mm Weight: 1.6kg

3lb Masons Punch

03MP10

Handle: Hickory Handle length: 254mm Weight: 2kg

4lb Masons Punch

Handle: Hickory Handle length: 254mm Weight: 1.6kg

3lb Walling Hammer

30WA10

· **H**.



40WA10

4lb Walling Hammer

Handle: Hickory Handle length: 254mm Weight: 2kg

SLASHERS, BILL HOOKS & WEDGES





RBSL36

S ENDURANCE

Ring & Bolt Irish Slasher

Handle: Hickory Blade: 406mm Handle length: 914mm Weight: 2kg

DUSL36

Single Edge Dunse Slasher

Handle: Hickory Blade: 305mm Handle length: 914mm Weight: 1.8kg

DESL36

Double Edge Slasher

Handle: Hickory Blade: 305mm Handle length:: 914mm Weight: 2kg











DEYKBH

38

Double Edge Yorkshire Bill Hook

Handle: Hickory Blade: 305mm Handle length: 360mm Weight: 1.2kg

SENTBH

Single Edge Bill Hook

Handle: Hickory Blade: 325mm Handle length: 125mm Weight: 0.6kg

DENTBH

Double Edge Newtown Bill Hook

Handle: Hickory Blade: 325mm Handle length: 125mm Weight: 0.6kg





DIAWED

8", 9", 91/2", 10" Steel Log Splitting Wedges

Code	08SW00	09SW00	95SW00	10SW00
Handle	203mm	229mm	241mm	227mm
Head	1kg	1.8kg	1.8kg	2.2kg



Weight: 2.3kg

Diamond Splitting Grenade





Shovel Repair Rivets

Size: 6 x44mm Weight: 0.9kg Available in packs of approx 70



01MI00 02MI00 04MI00 03MI00 05MI00

Steel Hammer **Repair Wedges**


Weight: 0.25kg, 0.43kg, 0.45kg, 0.74kg, 1.5kg Sold in packs of 100



875012 (Small) 875123 (Large)

Hardwood Hammer Repair Wedges

Weight: Assorted Small = Hand Hammers Large = Axes & Sledge Hammers



→ PERENNIAL


42

SOLID FORGED SPADES & FORKS



PERENNIAL









STAINLESS GARDEN SPADES & FORKS



SSGSPY

Handle: Ash Plastic YD Blade: 191 x 292mm Handle length: 711mm Weight: 2.5kg

Stainless Gents Spade

SSGSWY

Handle: Ash Wood YD Blade: 191 x 292mm Handle length: 711mm Weight: 2.5kg

Stainless Gents Spade

SSGFPY

Handle: Ash Plastic YD Blade: 191 x 292mm Handle length: 711mm Weight: 2.4kg

Stainless Gents Fork







EKTRAT ETOSGP







Forged Treaded **Edging Knife**

Handle: Extended Ash T Blade: 203mm Handle length: 914mm Weight: 2kg

DRHOGP

GardenPRO Edge Tool

Handle: Ash Shaped T Blade: 203mm Handle length: 914mm Weight: 1.5kg

GardenPRO Forged GardenPRO Dutch Hoe Push Hoe

Handle: Ash Handle: Ash Blade: 127mm Blade: 127mm Handle length 1370mm Handle length: 1370mm Weight: 1.5kg Weight: 1.3kg









SSGFWY

Stainless Gents Fork

Handle: Ash Wood YD

Handle length: 711mm

Fork: 191 x 292mm

Weight: 2.5kg



Stainless Border Fork

Blade: 140 x 229mm Handle length: 711mm Weight: 2.3kg



GardenPRO Draw Hoe GardenPRO 12T Rake Handle: Ash Handle: Ash

12GRGP

Blade: 127mm Fork: 300mm Handle length: 1372mm Handle length: 1500mm Weight: 1.3kg Weight: 1.5kg

Handle: Hardwood Fork: 457mm Handle length: 1372mm Weight: 1.2kg

Handle: Hardwood Fork: 610mm Handle length: 1220mm Weight: 1kg

GardenPRO 22T Lawn Rake GardenPRO 26T Leaf Rake

SSBSPY **Stainless Border Spade**

Handle: Ash Plastic YD Blade: 140 x 229mm Handle length: 711mm Weight: 2.3kg

Handle: Ash Wood YD Blade: 140 x 229mm Handle length: 711mm Weight: 2.4kg

Stainless Border Spade

SSBSWY

Handle: Ash Plastic YD Blade: 140 x 229mm Handle length: 711mm Weight: 2.2kg

Stainless Border Fork

SSBFPY

Handle: Ash Wood YD

SSBFWY

WWW.RICHARDCARTERLTD.CO.UK 44

THE ORIGINAL HAND TOOL MANUFACTURER

THE ORIGINAL HAND TOOL MANUFACTURER

WWW.RICHARDCARTERLTD.CO.UK



RAKES



Cultivator

Handle: Ash Fork: 140 x 229mm Handle length: 1372mm Weight: 1.6kg



Turfing Iron

Handle: Ash Shaped T Blade: 203 x 241mm Handle length: 1220mm Weight: 2.7kg



Sapling Planting Spear Handle: Ash T

Blade: 70 x 203mm

Weight: 1.7kg

Handle length: 711mm



Handle: Ash Blade: 152mm, 152mm Handle length: 150mm, 150mm

Weight: 0.2kg, 0.3kg

Hand Fork, Hand Trowel









FORFOR FORTRO

Forged Hand Fork Forged Hand Trowel

Handle: Ash Blade: 152mm, 152mm Handle length: 150mm, 150mm Weight: 0.2kg, 0.3kg



PRUSAW


TSBLOP

Handle: Aluminium

Weight: 1.7kg

Folding Pruning Saw

Handle: Polypropylene Blade: 203mm Weight: 0.3kg



BYPSEC **By-Pass Secateurs**

Handle: Aluminium Total height: 203mm Weight: 0.3kg

ANVSEC Anvil Secateurs

Handle: Aluminium Total height: 203mm Weight: 0.3kg





Telescopic By-Pass Lopper

Blade: 686 extending 980mm









TSALOP **Telescopic By-Pass Lopper**

Handle: Aluminium Blade: 686 extending 980mm Weight: 1.5kg



Lawn Edging Shears

Handle: Aluminium Handle length: 910mm Weight: 1.2kg









16PREP

16 T Poly Landscape Rake

Handle: Hardwood Fork: 640mm wide Handle length: 1700mm Weight: 1.3kg

32 T Poly Landscape Rake

Handle: Hardwood Fork: 640mm wide Handle length: 1700mm Weight: 1.3kg

32PREP

48PREP

48 T Poly Landscape Rake

Handle: Hardwood Fork: 940mm wide Handle length: 1700mm Weight: 1.3kg

18LREP

Handle: Hardwood Fork: 700mm wide

18T. Alum. Landscape Rake

Handle length: 1800mm Weight: 1.8kg





16 T Wooden **Grass Rake**

Handle: Hardwood Fork: 750mm wide Handle length: 1800mm Weight: 1.8kg

Landscaping Rake

18MREP

18 T Metal



Handle: Hardwood Fork: 750mm wide Handle length: 1800mm Weight: 1.8kg



Handle: Hardwood Fork: 380mm wide Handle length: 1200mm Weight: 0.6kg

21 T Multi Leaf Rake

26CREP

26 T Combi Leaf Rake

Handle: Hardwood Fork: 600mm wide Handle length: 1220mm Weight: 0.8kg



20 T Black **Bunker Rake**

Handle: Hardwood Fork: 450mm wide Handle length: 1500mm Weight: 1.2kg

WWW.RICHARDCARTERLTD.CO.UK 46

Handle: Aluminium

Blade: 229mm

Weight: 1.2kg

FORSHE

THE ORIGINAL HAND TOOL MANUFACTURER

EDGSHE

THE ORIGINAL HAND TOOL MANUFACTURER

WWW.RICHARDCARTERLTD.CO.UK

Forged Hedge Shears



MORE THAN JUST A PIECE OF WOOD

Sometimes tool handles need to be replaced. Being in constant use they can become uncomfortable to use.

To us a handle is more than just a piece of wood. Each handle is carefully selected from straight grained Hardwood, graded by hand with an expert eye, ensuring only the best handles are fitted to all Carters Approved Tools.





51

50















500H11 500H12 500H13 500H15 500H16 500H18

18" BS Lengths

Hickory Engineers 11", 12", 13", 15", 16", 505H12 505H13 **Hickory Warrington**

12", 13" BS Lengths

510H13 510H14 **Hickory Claw**

13", 14" BS Lengths

515H10 515H12 **Hickory Club** 10", 12" BS Lengths 520H13

Hickory Pin 13" BS Length

















Hickory Sledge 24", 30", 36"

Product size: 13/4"x11/4"

525H24 525H30 525H36

Hickory Keying Shaped Hammer 36" Length

526H36

Product size: 1 % " x 1 % "

Sledge 36" Length Eye size: 2"x1½"

530H36

Hickory Heavy 36" Length Product size: 1¾"x1½"

531H36

Hickory Stob Mell

Hickory Extra Heavy 36" Length Parallel Eye

Product size: 2"x11/2"

SIZE

CHART

532H36

REPLACEMENT HANDLES





H H





No.2 Eye 36"x25%"x11/2"

Hickory	Maul Shaft	Hickory Navvy Pick	Fibreglas Navvy Pi
RUBBER	ALUM	555H36	36NPFG
550H41	551H41		

41" Sq. 2"x1%" Rubber 36" (900mm) 41" Rect. 21/4"x11/8" Alum. Eye size: 3"x2" (1040mm)

36" (900mm)

Eye size: 3"x2"

565H31 566H36 No.1 Eye Sckt Universal **Hickory Carpenters** Adze No.2 Eye Sckt Universal No.1 Eye 30"x1%6"x15/16" 36" (900mm)

560H36

Product size: 2"x1½"





Product size: 28"x1½"

Assorted Lengths from 24"



925E48

48" Length

Product size: 1%" dia.

48", 54", 60", 72"

Product size: 1½" &

Assorted lengths

1%" dia.



Į	1			
570H67	640A36	640A42	650A48	
66" Hickory Shunt Pole	Ash Brushing Hook	Ash Mallet Handle	Parallel Ash Poles	Shaped
Hooked or Naked Product size: 66"x1%"	36″ Rnd. Eye	42" Rnd. Eye	4" – 12" Lengths Product size: 1½"-1¾" dia.	Narrow Waisted & Domed 1 End



48" Bent Taper

Product size: 1½" dia.

54" Bent Taper

Product size: 1½" dia.



Product size: 30"x1½"

Also 32" & 36" Lengths

Product size: 28"x11/2"

Assorted Lengths from 24"



WWW.RICHARDCARTERLTD.CO.UK WWW.RICHARDCARTERLTD.CO.UK THE ORIGINAL HAND TOOL MANUFACTURER THE ORIGINAL HAND TOOL MANUFACTURER **52**

48", 54", 60", 72", 96"

Product sizes: 15/16", 1",

Blunt or Tapered

11/8",11/4"

Product size: 28"x1½"

Assorted Lengths from 24"

Product size: 28"x11/2"

Assorted Lengths from $24^{\prime\prime}$





Shunt Pole Taper Broom Handle Taper







1740

In the beginning...
Jeremiah Carter, a Blacksmith,
founded the business in Highburton Huddersfield. He married a local girl and had 12 children, becoming an established 'Edge Tool Manufacturer'.





1939

World War II

250 Year Anniversary

Joint Managing Directors Richard Carter III and Philip Everitt celebrate 250 years of the business.





2015

ANNIVERSARY YEAR

2015 sees Richard Carter Ltd celebrate 275 years of manufacturing in the UK.

A 9000 Sq. ft. factory expansion began with other exciting plans put into place.

The Industrial Revolution

The Industrial Revolution completely changed the landscape of UK manufacturing. The company adapted to supply the rapidly expanding coal mining industries in Yorkshire and Nottinghamshire as Great Britain was now the 'workshop of the world'.





World War I

Ernest Carter spent 347 days at war while keeping the family updated with regular letters. Ernest died at war in 1917. During the time of the First World War the business still continued to manufacture large quantities of shovels.

Great Factory Fire

New premises

During 1999 the company bough new premises in Honley, which they moved into in 2000. Richard Carter Ltd are still working at the Honley address to this date having expanded the site in 2015.



Introduction of new ranges, designed with customers in mind as well as a brand new website.









Richard Carter Ltd.

Neiley Works, New Mill Road, Honley, Huddersfield, HD9 6QQ

Tel: 01484 666806 Fax: 01484 666802 Email: sales.desk@richardcarterltd.co.uk

