

CARTERS

SHOCKSAFE

MAN MADE

ENDURANCE

PERENNIAL

REPLACEMENT  
HANDLES

# THE ORIGINAL HAND TOOL MANUFACTURER

THE CARTERS 2020 COLLECTION





# THE ORIGINAL HAND TOOL MANUFACTURER

Established in Huddersfield, West Yorkshire, in 1740, Richard Carter Ltd is owned and run by the 8th generation of the Carter family. Today, at Carters we focus on handcrafting the highest quality range of tools, for the professional user. Being a true manufacturer, we aim to provide tough, durable tools and replacement handles that can truly stand the test of time and work as hard as you do.

## CARTERS SEAL OF APPROVAL



Introduced for 2018, we have developed the Carters Approved stamp, so you can be sure that whatever you buy from Carters is of the highest quality and comes with the following promise...

### ✓ RELIABILITY

Our products and customer service is something you can rely on to deliver exactly what you need, when you need it.

### ✓ DURABILITY

Our products are built to last and we test them all beyond the industry standard, so we can be sure each and every product will last as long as you need it to.

### ✓ TOUGH

Our raw materials are the best in the business, we make products that work for you and are as tough as you need them to be.

### ✓ SINCERE

We believe you should treat people the way you'd like to be treated yourself and that's why we pride ourselves on always being honest and bringing products to the market that we genuinely believe are right for the job.

### ✓ UK MANUFACTURING

We've been based in Huddersfield, West Yorkshire since 1740 so it's clear we take pride in our Yorkshire roots but we are proud of the top quality products all UK manufacturers deliver.

### ✓ CONSISTENCY

With over 280 years of manufacturing under our belt, we know what makes the best tool and we continue to do what we do, making the best tools for any job you have.



## OUR CORE RANGES

With over 280 years of experience, we know who buys our products and what they are used for. We know builders, farmers and park keepers, we know the products you use day in, day out and we know that quality is essential when you rely on the same tool to deliver results every day.

To make it easier for you - our customers - we have simplified our product range and created some, distinct brands based on the various industries we consistently supply. We want you to easily identify the products you need and see what we have to offer instantly; time is precious, so the new ranges help you get the tools you need quickly.

### ⚡ SHOCKSAFE

Shocksafe is the UK's original premium insulated digging tool brand.

Introduction to Shocksafe  
4 – 6

Product Listings  
7 – 11

### ⚡ MAN MADE

Our Man Made range of tools are designed with the construction and utility industry in mind.

Introduction to Manmade  
12 – 13

Product Listings  
14 – 27

### ∞ ENDURANCE

A range of tools designed to withstand all elements for the agricultural industry.

Introduction to Endurance  
28 – 29

Product Listings  
30 – 39

### 🌱 PERENNIAL

For all beautifully crafted horticulture the Perennial range was designed with parks and gardens in mind.

Introduction to Perennial  
40 – 41

Product Listings  
42 – 47

### 🌀 REPLACEMENT HANDLES

Graded by hand and an expert eye, only the best raw materials are used to make our wooden products.

Introduction to Replacement Handles  
48 – 49

Product Listings  
50 – 54



# BE SHOCKSAFE

In its 18th year, Shocksafe is the UK's original premium insulated digging tool brand. As the first to market with this type of tool, our patented moulding process ensures that Shocksafe digging tools are tougher, stronger and safer to use than ever before. In recent years many replica products have come to market but please be sure to check, if it doesn't say Shocksafe, is it really shock safe?

## PRODUCT IN USE



TRTRPFINS

### GPO Trench (2-Way)

Handle: Shocksafe Polyfibre  
Blade: 180 x 280mm  
Handle length: 711mm  
Weight: 2.3kg



FEATURES & BENEFITS

ULTRA-STRONG GRIP

Triple reinforced extra-wide grip section tailored to accommodate work gloves and larger hands.

SAFETY AND STRENGTH

Solid core fibreglass encapsulated in a specially blended polypropylene outer shell offer the optimum in strength and insulating properties.

INTEGRATED FORWARD TREADS

- Forged forward facing treads
- More surface area for feet
- Tools are lighter
- Reduces weak points

TOUGH HAND PROTECTION

Solid ABS moulded outer hand guard developed for its high voltage and abrasion resistant properties.

INDIVIDUAL PRODUCT TRACEABILITY

Every Shocksafe tool is individually tested and issued with a unique traceable number, laser embossed on the shaft.

Each implement is further supplied with an individual certificate which is held in duplicate by Carters for a minimum of 10 years.

SPECIALLY DEVELOPED SEALING SYSTEM

The hand grip protector utilises a specially developed Hydro-seal that prevents moisture from tracking up the tool shaft. Further reducing the risk of harm in live working environments.

EXCEEDS BS LOAD TESTS

Each blade is individually load tested up to 95kgs, far exceeding the requirements of BS3388.

BS8020 INSULATED DIGGING TOOLS

\* THIS RANGE IS TREADED AS STANDARD

				
2STRPFINS	2TTRPFINS	CLTRPFINS	TRTRPFINS	16TRPFINS
No.2 Square Mouth	No.2 Taper Mouth	Cable Layer (1-Way)	GPO Trench (2-Way)	Newcastle Drainer
Handle: Shocksafe Polyfibre Blade: 255 x 320mm Handle length: 711mm Weight: 2.5kg	Handle: Shocksafe Polyfibre Blade: 255 tapering to 215 x 320mm Handle length: 711mm Weight: 2.5kg	Handle: Shocksafe Polyfibre Blade: 130 tapering to 115 x 280mm Handle length: 711mm Weight: 2.1kg	Handle: Shocksafe Polyfibre Blade: 180 x 280mm Handle length: 711mm Weight: 2.3kg	Handle: Shocksafe Polyfibre Blade: 180 tapering to 100 x 405mm Handle length: 711mm Weight: 2.8kg
				
GENSPFINS	TSSSPFINS	CGTRPFINS	2RTRPFINS	30TRPFINS
General Service	Treaded Spade	Clay Grafter	No.2 Round Mouth	000 Treble Nought Square Mouth
Handle: Shocksafe Polyfibre Blade: 203 x 267mm Handle length: 711mm Weight: 2.3kg	Handle: Shocksafe Polyfibre Blade: 190 x 290mm Handle length: 711mm Weight: 2.4kg	Handle: Shocksafe Polyfibre Blade: 155 x 305mm Handle length: 711mm Weight: 2.5kg	Handle: Shocksafe Polyfibre Blade: 255 x 320mm Handle length: 711mm Weight: 2.5kg	Handle: Shocksafe Polyfibre Blade: 205 x 265mm Handle length: 711mm Weight: 2.4kg



HFSSPFINS

**Contractors Fork**

Handle: Shocksafe Polyfibre  
Fork: 205 x 305mm  
Handle length: 1020mm  
Weight: 2.3kg



09PPFFINS

**9 Prong Industrial Ballast Fork**

Handle: Shocksafe Polyfibre  
Fork: 255 x 370mm  
Handle length: 711mm  
Weight: 2.6kg



60CPFGINS

**Chisel & Point Crow Bar**


Handle: Shocksafe Fibreglass  
Total height: 1500mm  
Weight: 7.5kg



60CBFGINS

**Chisel Bar**

Handle: Shocksafe Fibreglass  
Total height: 1500mm  
Weight: 6kg



60PBFGINS

**Point Bar**

Handle: Shocksafe Fibreglass  
Total height: 1500mm  
Weight: 5.5kg



POSSPAFGINS54

**GPO Post Hole Spade**

Handle: Shocksafe Fibreglass  
Blade: 140 x 305mm  
Handle length: 1450mm  
Weight: 4.1kg  
Also available with 78" handle



16SSFGINS54

**Newcastle Draining Tool**

Handle: Shocksafe Fibreglass  
Blade: 178 x 102 x 406mm  
Handle length: 1450mm  
Weight: 4.1kg  
Also available with 78" handle



CGSSFGINS54

**Clay Grafting Tool**

Handle: Shocksafe Fibreglass  
Blade: 155 x 305mm  
Handle length: 1450mm  
Weight: 4.1kg  
Also available with 78" handle



POSTFGINS54

**Heavy Duty Shov-Holer**

Handle: Shocksafe Fibreglass  
Blade: 200 x 390mm  
Handle length: 1525mm  
Weight: 9.5kg  
Also available with other handle lengths



FENDIGFGINS54

**Fence Post Digger**

Handle: Shocksafe Fibreglass  
Blade: 152 X 406mm  
Total height: 1420mm  
Weight: 9.5kg



SUMOFGINS54

**SUMO Post Hole Spade**

Handle: Shocksafe Fibreglass  
Blade: 140 x 305mm  
Handle length: 1450mm  
Weight: 4.5kg



KSUMOINS54

**King SUMO Post Hole Spade**

Handle: 35mm Shocksafe Fibreglass  
Blade: 140 x 305mm  
Handle length: 1450mm  
Weight: 5.5kg



60CPSUMOINS

**SUMO Digging Bar Chisel/Point**

Handle: 35mm Shocksafe Fibreglass  
Total height: 1500mm  
Weight: 8kg



60CBSUMOINS

**SUMO Digging Bar 60" Chisel End**

Handle: 35mm Shocksafe Fibreglass  
Total height: 1500mm  
Weight: 6kg



60PBSUMOINS

**SUMO Digging Bar 60" Point End**

Handle: 35mm Shocksafe Fibreglass  
Total height: 1500mm  
Weight: 6kg



10SRFGINS

**10lb Square Rammer/Punner**

Handle: Shocksafe Fibreglass  
Blade: 130 x 130mm  
Handle length: 1220mm  
Weight: 6.5kg



KIDPUNFGINS

**14lb Kidney Profiled Punner**

Handle: Shocksafe Fibreglass  
Handle length: 2000mm  
Weight: 8kg



PIPBFGINS54

**10kg Chamfered - Edge Pipe Breaker**

Handle: Shocksafe Fibreglass  
Blade: 900 x 175mm  
Handle length: 1300mm  
Weight: 12.2kg



BTXCSPOFGINS78

**Flat base Excavating Spoon**

Handle: Shocksafe Fibreglass  
Blade: 152 x 152 x 76mm  
Handle length: 2050mm  
Weight: 4.5kg



16TRFGINS48

**16 T Round Tarmac Rake**

Handle: Shocksafe Fibreglass  
Blade: 400 x 100mm  
Handle length: 1200mm  
Weight: 2.9kg



16ARFGINS48

**16 T Square Asphalt Rake**

Handle: Shocksafe Fibreglass  
Blade: 400 x 100mm  
Handle length: 1200mm  
Weight: 2.9kg





25LUGFINS

40LUGFINS

20CLFGINS

07NPFGINS

36NPFGINS

**2 1/2 lb Club Hammer****4 lb Club Hammer****20oz. Claw Hammer****7 lb Navy Pick Chisel/Point****Insulated Fibreglass Navy Pick Shaft**

Handle: Shocksafe Fibreglass  
Handle length: 254mm  
Weight: 1.35kg

Handle: Shocksafe Fibreglass  
Handle length: 254mm  
Weight: 2.1kg

Handle: Shocksafe Fibreglass  
Handle length: 340mm  
Weight: 1.125kg

Handle: Shocksafe Fibreglass  
Handle length: 914mm  
Weight: 4.1kg

Handle: Shocksafe Fibreglass  
Handle length: 914mm  
Weight: 1.1kg



07DFFGINS

10DFFGINS

14DFFGINS

10KYFGINS

HDPINFGINS / FENPINFGINS

**7 lb Sledge Hammer****10 lb Sledge Hammer****14 lb Sledge Hammer****10 lb Keying Hammer****Insulated Line Pin / Fencing Pin**

Handle: Shocksafe Fibreglass  
Handle length: 914mm  
Weight: 4.1kg

Handle: Shocksafe Fibreglass  
Handle length: 914mm  
Weight: 5.9kg

Handle: Shocksafe Fibreglass  
Handle length: 914mm  
Weight: 7.25kg

Handle: Shocksafe Fibreglass  
Handle length: 914mm  
Weight: 5.9kg

Handle: 16 / 12mm Fibreglass  
Handle length: 1000 / 1300mm  
Weight: 0.75 / 0.6kg

## SHOCKSAFE SAFEDIG RANGE

\* FEATURES A SEAMLESS  
INTEGRATED TREAD  
AS STANDARD



16SDPFINS

CLSDPFINS

TRSDPFINS

GENSDPFINS

**Newcastle Drainer Treaded SAFEDIG****Cable Layer Treaded SAFEDIG****GPO Trench Treaded SAFEDIG****General Service Treaded SAFEDIG**

Handle: Shocksafe Polyfibre  
Blade: 178 x 102 x 406mm  
Handle length: 711mm  
Weight: 2.75kg

Handle: Shocksafe Polyfibre  
Blade: 130 tapering to 115 x 280mm  
Handle length: 711mm  
Weight: 2.3kg

Handle: Shocksafe Polyfibre  
Blade: 180 x 280mm  
Handle length: 711mm  
Weight: 2.5kg

Handle: Shocksafe Polyfibre  
Blade: 203 x 267mm  
Handle length: 711mm  
Weight: 2.5kg

## FEATURES

### GREEN HALO

Identifiable by the green ring under the hand stop. This indicates to the end user that they are using the SAFEDIG SHOCKSAFE tool.

### INTEGRATED FORWARD TREADS

- Forged forward facing treads
- More surface area for feet
- Tools are lighter
- Reduces weak points

### SOLID FORGED 4-6mm DULL LEADING EDGE

The safedig blade is designed to reduce the risk of penetrating hidden cabling with the leading edge being double the thickness of a traditional forged blade.

SAFEDIG

## BENEFITS

- ✓ Dull Leading Edge Reduces Utility Damage
- ✓ Range is fully forged
- ✓ No welds or weak points
- ✓ Individual product traceability
- ✓ Integrated Treads



# TOOLS THAT WORK AS HARD AS YOU DO

The construction and utility industry is forever changing but the need for solid, reliable tools remains the same. Build, dig or demolish, Carters Man Made offers a range of tools with the professional contractor in mind.

You need shovels, striking tools and hand tools that can work as hard as you do. In Carters Man Made you will find them all.

## PRODUCT IN USE



2TSSMY  
**No.2 Taper Mouth**  
Handle: Steel MYD  
Blade: 254 x 216 x 318mm  
Handle length: 711mm  
Weight: 2.5kg



ALL STEEL RANGE



2SSSMY	2TSSMY	CLSSMY	TRSSMY	16SSMY
No.2 Square Mouth	No.2 Taper Mouth	Cable Layer (1-way)	GPO Trench (2-way)	Newcastle Drainer
Handle: Steel MYD Blade: 254 x 318mm Handle length: 711mm Weight: 2.6kg	Handle: Steel MYD Blade: 254 x 216 x 318mm Handle length: 711mm Weight: 2.5kg	Handle: Steel MYD Blade: 140 x 114 x 279mm Handle length: 711mm Weight: 2.1kg	Handle: Steel MYD Blade: 178 x 279mm Handle length: 711mm Weight: 2.5kg	Handle: Steel MYD Blade: 178 x 102 x 406mm Handle length: 711mm Weight: 2.8kg



GENSSMY	TSSSMY	CGSSMY	2RSSMY	HFSSMY
Treaded General Service	Treaded Spade	Clay Grafter	No.2 Round Mouth	Contractors Fork
Handle: Steel MYD Blade: 203 x 267mm Handle length: 711mm Weight: 2.5kg	Handle: Steel MYD Blade: 191 x 292mm Handle length: 711mm Weight: 2.3kg	Handle: Steel MYD Blade: 152 x 305mm Handle length: 711mm Weight: 2.3kg	Handle: Steel MYD Blade: 254 x 318mm Handle length: 711mm Weight: 2.6kg	Handle: Steel MYD Fork: 203 x 305mm Handle length: 711mm Weight: 2.7kg

ASH MYD RANGE

REPLACEMENT HANDLES ARE AVAILABLE FOR THESE RANGES



2SSAMY	2TSAMY	CLSAMY	TRSAMY	16SAMY
No.2 Square Mouth	No.2 Taper Mouth	Cable Layer (1-way)	GPO Trench (2-way)	Newcastle Drainer
Handle: Ash MYD Blade: 254 x 318mm Handle length: 711mm Weight: 2.6kg	Handle: Ash MYD Blade: 254 x 216 x 318mm Handle length: 711mm Weight: 2.5kg	Handle: Ash MYD Blade: 140 x 114 x 279mm Handle length: 711mm Weight: 2.1kg	Handle: Ash MYD Blade: 178 x 279mm Handle length: 711mm Weight: 2.4kg	Handle: Ash MYD Blade: 178 x 102 x 406mm Handle length: 711mm Weight: 2.8kg



GENSAMY	TSSAMY	2RSAMY	HFSAMY
Treaded General Service	Treaded Spade	No.2 Round Mouth	Contractors Fork
Handle: Ash MYD Blade: 203 x 268mm Handle length: 711mm Weight: 2.2kg	Handle: Ash MYD Blade: 191 x 292mm Handle length: 711mm Weight: 2.3kg	Handle: Ash MYD Blade: 254 x 318mm Handle length: 711mm Weight: 2.6kg	Handle: Ash MYD Blade: 203 x 305mm Handle length: 711mm Weight: 2.3kg



# GREEN POLYFIBRE SAFEDIG RANGE

\* FEATURES A SEAMLESS INTEGRATED TREAD AS STANDARD



16SDPF	CLSDPF	TRSDPF	GENSDPF
Newcastle Drainer Treaded Safedig	Cable Layer (1-way) Treaded Safedig	GPO Trench (2-way) Treaded Safedig	General Service Treaded Safedig
Handle: Green Polyfibre YD Blade: 178 x 102 x 406mm Handle length: 711mm Weight: 2.75kg	Handle: Green Polyfibre YD Blade: 140 x 114 x 279mm Handle length: 711mm Weight: 2.5kg	Handle: Green Polyfibre YD Blade: 178 x 279mm Handle length: 711mm Weight: 2.6kg	Handle: Green Polyfibre YD Blade: 203 x 267mm Handle length: 711mm Weight: 2.3kg

## FEATURES

### SAFEDIG EMBOSSED GREEN SHAFT

The bright green shafts shows that this is the SAFEDIG version of polyfibre.

### INTEGRATED FORWARD TREADS

- Forged forward facing treads
- More surface area for feet
- Tools are lighter
- Reduces weak points

### SOLID FORGED 4-6mm DULL LEADING EDGE

The SAFEDIG blade is fully forged with no welds or weak points. It is designed to reduce the risk of penetrating hidden cabling with the leading edge being double the thickness of a traditional forged blade.

SAFEDIG

## BENEFITS

- ✓ Dull Leading Edge Reduces Utility Damage
- ✓ Range is fully forged
- ✓ No welds or weak points
- ✓ Safedig embossed shaft
- ✓ Integrated Treads

# POLYFIBRE RANGE

\* FORWARD TREADS AVAILABLE ON ALL ITEMS AS AN OPTIONAL EXTRA EXCEPT FORK.



2SSSPF	2TSSPF	CLSSPF	TRSSPF	16SSPF
No.2 Square Mouth	No.2 Taper Mouth	Cable Layer (1-way)	GPO Trench (2-way)	Newcastle Drainer
Handle: Polyfibre YD Blade: 254 x 318mm Handle length: 711mm Weight: 2.4kg	Handle: Polyfibre YD Blade: 254 x 216 x 318mm Handle length: 711mm Weight: 2.4kg	Handle: Polyfibre YD Blade: 140 x 114 x 279mm Handle length: 711mm Weight: 2.2kg	Handle: Polyfibre YD Blade: 178 x 279mm Handle length: 711mm Weight: 2.3kg	Handle: Polyfibre YD Blade: 178 x 102 x 406mm Handle length: 711mm Weight: 2.6kg



GENSPF	TSSSPF	CGSSPF	2RSSPF	HFSSPF
Treaded General Service	Treaded Spade	Clay Grafter	No.2 Round Mouth	Contractors Fork
Handle: Polyfibre YD Blade: 203 x 267mm Handle length: 711mm Weight: 2.3kg	Handle: Polyfibre YD Blade: 191 x 292mm Handle length: 711mm Weight: 2.4kg	Handle: Polyfibre YD Blade: 152 x 305mm Handle length: 711mm Weight: 2.4kg	Handle: Polyfibre YD Blade: 254 x 318mm Handle length: 711mm Weight: 2.4kg	Handle: Polyfibre YD Fork: 203 x 305mm Handle length: 711mm Weight: 2.3kg

THE ORIGINAL HAND TOOL MANUFACTURER

WWW.RICHARDCARTERLTD.CO.UK



ASH T RANGE



\* REPLACEMENT HANDLES ARE AVAILABLE FOR THIS RANGE



2SSSAT

**No.2 Square Mouth**

Handle: Ash T  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2.4kg



2TSSAT

**No.2 Taper Mouth**

Handle: Ash T  
Blade: 254 x 216 x 318mm  
Handle length: 711mm  
Weight: 2.4kg



CLSSAT

**Cable Layer (1-way)**

Handle: Ash T  
Blade: 140 x 114 x 279mm  
Handle length: 711mm  
Weight: 2.2kg



16SSAT

**Newcastle Drainer**

Handle: Ash Shaped T  
Blade: 178 x 102 x 406mm  
Handle length: 711mm  
Weight: 2.5kg



GENSSAT

**Treaded General Service**

Handle: Ash Shaped T  
Blade: 203 x 268mm  
Handle length: 711mm  
Weight: 2.2kg



TSSSAT

**Treaded Spade**

Handle: Ash T  
Blade: 191 x 292mm  
Handle length: 711mm  
Weight: 2.3kg



2RSSAT

**No.2 Round Mouth**

Handle: Ash T  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2.3kg



3OSSAT

**No.000 Square Mouth**

Handle: Ash T  
Blade: 203 x 268mm  
Handle length: 711mm  
Weight: 2.2kg



ISSSAT36

**Treaded Irish Spade**

Handle: Ash Shaped T  
Blade: 184 x 330mm  
Handle length: 914mm  
Weight: 2.4kg  
Also available with 48" handle



IROSAP54

**Irish Round Mouth Shovel**

Handle: Ash  
Blade: 241 x 356mm  
Total height: 1372mm  
Weight: 2.1kg

FIBREMAX RANGE

\* THIS RANGE IS TREADED AS STANDARD



2STRMAX

**No.2 Square Mouth**

Handle: Fibreglass MYD  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2.4kg



2TTRMAX

**No.2 Taper Mouth**

Handle: Fibreglass MYD  
Blade: 254 x 216 x 318mm  
Handle length: 711mm  
Weight: 2.4kg



CLTRMAX

**Cable Layer (1-way)**

Handle: Fibreglass MYD  
Blade: 140 x 114 x 279mm  
Handle length: 711mm  
Weight: 2.2kg



TRTRMAX

**GPO Trench (2-way)**

Handle: Fibreglass MYD  
Blade: 178 x 279mm  
Handle length: 711mm  
Weight: 2.3kg



16TRMAX

**Newcastle Drainer**

Handle: Fibreglass MYD  
Blade: 178 x 102 x 406mm  
Handle length: 711mm  
Weight: 2.6kg



GENSSMAX

**Treaded General Service**

Handle: Fibreglass MYD  
Blade: 203 x 267mm  
Handle length: 711mm  
Weight: 2.3kg



TSSSMAX

**Treaded Spade**

Handle: Fibreglass MYD  
Blade: 191 x 292mm  
Handle length: 711mm  
Weight: 2.4kg



CGTRMAX

**Clay Grafter**

Handle: Fibreglass MYD  
Blade: 152 x 305mm  
Handle length: 711mm  
Weight: 2.4kg



2RTRMAX

**No.2 Round Mouth**

Handle: Fibreglass MYD  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2.4kg



HFSSMAX

**Contractors Fork**

Handle: Fibreglass MYD  
Fork: 203 x 305mm  
Handle length: 711mm  
Weight: 2.3kg



RAKES & SPAZZLES



16AREP	16ARTS	16TREP	16TRTS
<b>16T Sq. Asphalt Rake</b>	<b>16T Sq. Asphalt Rake</b>	<b>16T Rnd. Tarmac Rake</b>	<b>16T Rnd. Tarmac Rake</b>
Handle: Hardwood Blade: 406 x 102mm Handle length: 1680mm Weight: 2.5kg	Handle: Tubular Steel Blade: 406 x 102mm Handle length: 1680mm Weight: 2.1kg	Handle: Hardwood Blade: 406 x 102mm Handle length: 1680mm Weight: 2.5kg	Handle: Tubular Steel Blade: 406 x 102mm Handle length: 1680mm Weight: 2.1kg



ALUSPA	WOOSPA	CPLAALTS	CPRAALTS
<b>Aluminium Spazzle</b>	<b>Wooden Spazzle</b>	<b>Aluminium Concrete Placer</b>	<b>Aluminium Concrete Rake</b>
Handle: Hardwood Blade: 600 x 125mm Handle length: 1500mm Weight: 1.7kg	Handle: Hardwood Blade: 610 x 102mm Handle length: 1500mm Weight: 1.8kg	Handle: Tubular Steel Blade: 508 x 152mm Handle length: 1500mm Weight: 1.5kg	Handle: Tubular Steel Blade: 508 x 152mm Handle length: 1500mm Weight: 1.5kg

PUNNERS & POST  
HOLING EQUIPMENT



REPLACEMENT HANDLES  
ARE AVAILABLE ON  
TIMBER SHAFTED ITEMS



10SRTS	10SRFG	10SRAP	10RRTS	22TMTS
<b>10 lb Sq. Rammer</b>	<b>10 lb Sq. Rammer</b>	<b>10 lb Sq. Rammer</b>	<b>10 lb Rnd. Rammer</b>	<b>22lb Rect. Rammer</b>
Handle: Tubular Steel Head: 133 x 133mm Handle length: 1220mm Weight: 6kg	Handle: Fibreglass Head: 133 x 133mm Handle length: 1220mm Weight: 6.5kg	Handle: Ash Head: 133 x 133mm Handle length: 1220mm Weight: 6kg	Handle: Tubular Steel Head: 133 x 133mm Handle length: 1220mm Weight: 6kg	Handle: Tubular Steel Head: 203 x 127mm Handle length: 1220mm Weight: 11kg



08ATAP	POSSPA	POST48	POSTTS	POSTFG54
<b>8" Asphalt Tamper</b>	<b>GPO Post Hole Spade</b>	<b>Heavy Duty Shov-Holer</b>	<b>Heavy Duty Shov-Holer</b>	<b>Heavy Duty Shov-Holer</b>
Handle: Ash Head: 203 x 203mm Handle length: 1220mm Weight: 5kg	Handle: Tubular Steel Blade: 305 x 140mm Handle length: 1450mm Weight: 3.9kg	Handle: Ash Blade: 203 x 660mm Handle length: 1350mm Weight: 6.8kg	Handle: Tubular Steel Blade: 203 x 660mm Handle length: 1525mm Weight: 6.5kg	Handle: Fibreglass Blade: 203 x 660mm Handle length: 1550mm Weight: 7kg



STRIKING TOOLS



16oz Chipping Hammer		16oz Chipping Hammer		16oz Chipping Hammer Economy		16oz, 20oz Claw Hammer		16oz, 20oz Claw Hammer	
Code	16CH12	Code	16CHFG	Code	16CHEC	Code	16CL13 20CL14	Code	16CLAS 20CLAS
Handle	Hickory	Handle	Fibreglass	Handle	Hardwood	Handle	Hickory	Handle	Forged Steel
Length	305mm	Length	305mm	Length	305mm	Length	330mm 356kg	Length	330mm 356kg
Weight	0.6kg	Weight	0.8kg	Weight	0.6kg	Weight	0.6kg 0.7kg	Weight	0.6kg 0.7kg



16oz, 20oz Claw Hammer		16oz, 20oz Claw Hammer		Mortar Pick		Brick Hammer		Fully Forged Brick Hammer	
Code	16CLFG 20CLFG	Code	16CLTS 20CLTS	Code	20MP10	Code	25BH10	Code	25BHAS
Handle	Fibreglass	Handle	Tubular Steel	Handle	Hickory	Handle	Hickory	Handle	Forged Steel
Length	330mm 356kg	Length	330mm 356kg	Length	280mm	Length	254mm	Length	254mm
Weight	0.7kg 0.8kg	Weight	0.7kg 0.8kg	Weight	0.7kg	Weight	0.6kg	Weight	0.8kg



Ball Pein Engineers 1/4lb to 3lb available							
Code	05BP12	75BP12	10BP13	15BP15	20BP16	25BP17	30BP18
Handle	Hickory	Hickory	Hickory	Hickory	Hickory	Hickory	Hickory
Length	305mm	305mm	330mm	381mm	406mm	432mm	457mm
Weight	0.5lb/0.25kg	0.75lb/0.35kg	1lb/0.55kg	1.5lb/0.7kg	2lb/1kg	2.5lb/1.2kg	3lb/1.4kg



2 1/2lb, 4lb Club Hammer	2 1/2lb, 4lb Club Hammer	Double End Scutch Hammer	Scutch Combs & Doves 100/pack	2 1/2lb, 4lb Club Hammer Budget
25LU10 40LU10	25LUG 40LUG	DESK10	10SC00 10SP00 15SC00 20SC00	25LUEC 40LUEC
Handle: Hickory Length: 254mm Weight: 1.3kg, 2.1kg	Handle: Fibreglass Length: 254mm Weight: 1.3kg, 2.1kg	Handle: Hickory Length: 254mm Weight: 1.1kg	Weights: 1.5kg, 1.6kg, 2.2kg, 2.7kg, 2.9kg	Handle: Hardwood Total height: 254mm Weight: 1.3kg/2.1kg



Sledge Hammers 4lb to 14lb available						Sledge Hammers 7lb to 14lb available		
Code	04DF24	07DF30	10DF36	12DF36	14DF36	28DF36	Code	07DFFG 10DFFG 14DFFG
Handle	Hickory	Hickory	Hickory	Hickory	Hickory	Hickory	Handle	Fibreglass Fibreglass Fibreglass
Length	610mm	750mm	900mm	900mm	900mm	900mm	Length	914mm 914mm 914mm
Weight	4lb/2.3kg	7lb/3.9kg	10lb/5.4kg	12lb/6.2kg	14lb/7kg	28lb/14kg	Head	4.1kg 5.5kg 7.3kg



7lb Chisel & Point Navy Pick	7lb Mattock Chisel	5lb Grubbing Mattock	5lb Mattock Pick	10lb Rubber Paving Maul	8" Wooden Paving Mallet	12" Rubber Mallet
07NPCP	07NPCC	05GMCC	05GMCP	10RM41	WDML42	01RM12
Weight: 3.2kg For handles see page 51	Weight: 3.2kg For handles see page 51	Weight: 2.3kg For handles see page 51	Weight: 2.3kg For handles see page 51	Handle: Hickory Head: 125 x 300mm Handle length: 1041mm Weight: 6.8kg	Handle: Ash Head: 200 x 300mm Handle length: 1060mm Weight: 7.2kg	Handle: Hardwood Head: 100 x 60mm Handle length: 305mm Weight: 0.5kg



CROWBARS & WRECKING BARS

Height: 1220mm  
48"  
Dia: 28mm

Height: 900mm  
36"  
Dia: 25mm

Chisel & Point 36CP25

Heel & Point 36HP25

Chisel & Point 48BCP

Heel & Point 48CBHP

Chisel & Point 60BCP

Heel & Point 60CBHP

Chisel & Point 60CP30

Heel & Point 60HP30

Hexagon Heel & Point 60HPHEX

Chisel & Point 60CPFG

Chisel & Point 72CP30

Heel & Point 72HP30

MUSDIG

Height: 1500mm

60" Dia: 28mm

60" Dia: 30mm

60" Dia: 32mm A/F

60" Dia: 32mm

Height: 1800mm  
72"  
Dia: 30mm

Height: 1775mm  
Dia: 25mm

Crowbars

SEE DIAGRAM FOR CODES

Mushroom Digging Bar

Handle: Carbon Steel  
Head: 25mm dia  
Blade: 65 x 225mm  
Total height: 1775mm  
Weight: 7.2kg



FENPIN LINPIN

Fencing Pin Line Pin

Head: 10mm dia  
Handle length: 1372mm  
Weight: 0.8kg

Head: 12mm dia  
Handle length: 750mm  
Weight: 0.66kg

18", 24", 30", 36" Wrecking Bars

RCL Code	18WB00	24WB00	30WB00	36WB00
Height	460mm	610mm	750mm	900mm
Weight	1.1kg	1.4kg	1.8kg	2.2kg

Cold Chisels

RCLCode	08CC19	10CC25	12CC25	18CC25
Blade Width	19mm	25mm	25mm	25mm
Height	203mm	254mm	305mm	457mm
Weight	0.5kg	0.75kg	0.9kg	1.5kg



2" Bolster Chisels	3" Bolster Chisels	4" Bolster Chisels	SLARIP Slaters Ripper Fabricated	FORSLA Slaters Ripper Solid Forged	SLAAXE SLAXEC Slaters Axe
RCL Code	02BC00	03BC00	04BC00		
Blade Width	56mm	75mm	100mm		
Height	220mm	230mm	230mm	Total height: 457mm	Total height: 508mm
Weight	0.5kg	0.7kg	0.8kg	Weight: 1kg	Weight: 1.5kg



5L Jerry Can	10L Jerry Can	20L Jerry Can	Jerry Can Spout
JERRY5	JERRY10	JERRY20	JERSPO
Weight: 1.9kg	Weight: 3.8kg	Weight: 3.8kg	Weight: 0.5kg



100mm Concrete Test Cube	150mm Concrete Test Cube	Test Cube Rammer	7" Manhole Key	12" Manhole Key	18" Manhole Key
CTC100	CTC150	CTCRAM			
Weight: 7.3kg	Weight: 9.8kg	Weight: 2.1kg			
RCL Code	07MANHOL	12MANHOL	18MANHOL		
Height	178mm	305mm	457mm		
Weight	1.5kg	2.1kg	3.3kg		

\*Sold As Pairs





**BIGRIP**  
**Forged Big Ripper**  
Handle: Hardwood  
Blade: 178 x 381mm  
Handle length: 1220mm  
Weight: 2kg



**LITRIP**  
**Forged Little Ripper**  
Handle: Hardwood  
Blade: 305 x 103mm  
Handle length: 1220mm  
Weight: 2kg



**FLSC48**  
**Spring Steel Scraper**  
Handle: Hardwood  
Blade: 203 x 76mm  
Handle length: 1220mm  
Weight: 1kg



**FLSCTP**  
**Spring Steel Scraper**  
Handle: Tubular Steel  
Blade: 203 x 76mm  
Handle length: 1220mm  
Weight: 1.5kg



**HVFSTS**  
**Heavy Duty Floor Scraper**  
Handle: Tubular Steel  
Blade: 432 x 114mm  
Handle length: 1220mm  
Weight: 2kg



**05DS48**  
**Dock Scraper**  
Handle: Hardwood  
Blade: 127 x 229mm  
Handle length: 1219mm  
Weight: 1kg



**05DSTS60**  
**Dock Scraper Tubular Steel**  
Handle: Tubular Steel  
Blade: 127 x 229mm  
Handle length: 1500mm  
Weight: 2.1kg



**2SDMEP**  
**No.2 Galv. Housefire**  
Handle: Hardwood  
Blade: 229 x 254mm  
Handle length: 200mm  
Weight: 0.8kg



**05DSTS**  
**5" Black Housefire**  
Handle: Steel  
Blade: 130 x 230mm  
Handle length: 200mm  
Weight: 0.5kg



**08DMEP**  
**Tulip Patt. Shovel**  
Handle: Hardwood  
Blade: 203 x 230mm  
Handle length: 250mm  
Weight: 1kg



**SNEC48**  
**Snow Scoop**  
Handle: Economy  
Head: 406 x 305mm  
Handle length: 1220mm  
Weight: 1.2kg



**SNSC48**  
**Snow Scoop**  
Handle: Economy  
Head: 406 x 356mm  
Handle length: 1220mm  
Weight: 1.25kg



**ALSC48**  
**Aluminium Snow Scoop**  
Handle: Ash  
Head: 400 x 356mm  
Handle length: 1350mm  
Weight: 1.6kg



OUR BUDGET RANGE USES LIGHTER DUTY, THINNER GAUGE MATERIAL. GIVING AN ASSURED QUALITY AT A COST EFFECTIVE PRICE.



REPLACEMENT HANDLES ARE AVAILABLE FOR THIS RANGE



**02OSPY**  
**No.2 O/S Square Mouth**  
Handle: Ash Plastic YD  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2kg



**02OSAT**  
**No.2 O/S Square Mouth**  
Handle: Ash T  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2kg



**02OSEY**  
**No.2 O/S Square Mouth Economy**  
Handle: Hardwood Plastic YD  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2kg



**02OSET**  
**No.2 O/S Square Mouth Economy**  
Handle: Hardwood T  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2kg



**04OSPY**  
**No.4 O/S Square Mouth**  
Handle: Ash Plastic YD  
Blade: 279 x 345mm  
Handle length: 711mm  
Weight: 2.2kg



**04OSAT**  
**No.4 O/S Square Mouth**  
Handle: Ash T  
Blade: 279 x 345mm  
Handle length: 711mm  
Weight: 2.2kg



**04OSEY**  
**No.4 O/S Square Mouth Economy**  
Handle: Hardwood Plastic YD  
Blade: 279x343mm  
Handle length: 711mm  
Weight: 2.2kg



**04OSET**  
**No.4 O/S Square Mouth Economy**  
Handle: Hardwood T  
Blade: 279x343mm  
Handle length: 711mm  
Weight: 2.2kg



**SPEC02EY**  
**No.2 O/S Sq. Mouth Budget**  
Handle: Hardwood Plastic YD  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2kg



**SPEC02EP48**  
**No.2 O/S Sq. Mouth Budget**  
Handle: Hardwood Plain  
Blade: 254 x 318mm  
Handle length: 1220mm  
Weight: 2.1kg



**SPEC02ET**  
**No.2 O/S Sq. Mouth Budget**  
Handle: Hardwood T  
Blade: 254 x 318mm  
Handle length: 711mm  
Weight: 2kg



# TOOLS THAT ARE MADE TO LAST

## PRODUCTS IN USE



FENSPA54

**Fencing Spade**

Handle: Tubular Steel  
Blade: 210 x 279mm  
Handle length: 1372mm  
Weight: 3.9kg

PSSAMY

**Treaded Planting Spade**

Handle: Ash MYD  
Blade: 152 x 268mm  
Handle length: 711mm  
Weight: 2.1kg

The very first customers of Carters, the agricultural industry and commercial farmers have been the lifeblood of Carters for generations. Our Endurance range delivers exactly what is needed to keep your farm working all year round.



FORGED MANURE  
& HAY FORKS



REPLACEMENT  
HANDLES ARE  
AVAILABLE FOR  
THIS RANGE



4PMFAP  
**4 Prong Manure Fork**

Handle: Shaped Ash  
Fork: 229 x 343mm  
Handle length: 1500mm  
Weight: 1.7kg



4PMFAPST  
**4 Prong Strapped Manure Fork**

Handle: Shaped Ash  
Fork: 229 x 343mm  
Handle length: 1500mm  
Weight: 1.6kg



4PMFAPCF  
**4 Prong Cap & Ferrule Manure Fork**

Handle: Shaped Ash  
Fork: 229 x 343mm  
Handle length: 1500mm  
Weight: 1.6kg



4PMFAT  
**4 Prong Manure Fork**

Handle: Ash T  
Fork: 229 x 343mm  
Handle length: 813mm  
Weight: 1.5kg



4PMFATST  
**4 Prong Strapped Manure Fork**

Handle: Ash Shaped T  
Fork: 229 x 343mm  
Handle length: 813mm  
Weight: 1.5kg



4PMFTS  
**4 Prong Manure Fork**

Handle: Tubular Poly T  
Fork: 229 x 343mm  
Handle length: 813mm  
Weight: 1.5kg



4PMFTY  
**4 Prong Manure Fork**

Handle: Tubular Poly YD  
Fork: 229 x 343mm  
Handle length: 813mm  
Weight: 1.5kg



4PMFTP  
**4 Prong Manure Fork**

Handle: Tubular Steel  
Fork: 229 x 343mm  
Handle length: 1220mm  
Weight: 1.7kg



5PMFATST  
**5 Prong Strapped Manure Fork**

Handle: Ash Shaped T  
Fork: 229 x 343mm  
Handle length: 813mm  
Weight: 1.6kg



5PMFTS  
**5 Prong Manure Fork**

Handle: Tubular Poly T  
Fork: 229 x 343mm  
Handle length: 813mm  
Weight: 1.6kg



5PMFTY  
**5 Prong Manure Fork**

Handle: Tubular PYD  
Fork: 229 x 343mm  
Handle length: 813mm  
Weight: 1.6kg



2PHFAP  
**2 Prong Hay Fork**

Handle: Shaped Ash  
Blade: 152 x 343mm  
Handle length: 1500mm  
Weight: 1.4kg



2PHFAPST  
**2 Prong Strapped Hay Fork**

Handle: Shaped Ash  
Blade: 152 x 343mm  
Handle length: 1500mm  
Weight: 1.4kg



3PHFAP  
**3 Prong Hay Fork**

Handle: Shaped Ash  
Blade: 191 x 343mm  
Handle length: 1500mm  
Weight: 1.5kg



3PHFAPST  
**3 Prong Strapped Hay Fork**

Handle: Shaped Ash  
Blade: 191 x 343mm  
Handle length: 1500mm  
Weight: 1.5kg



6PBFAT  
**6 Prong Ball End Beef Fork**

Handle: Ash T  
Blade: 305 x 368mm  
Handle length: 711mm  
Weight: 2kg



9PPFAT  
**9 Prong Ball End Potato Fork**

Handle: Ash T  
Blade: 254 x 368mm  
Handle length: 711mm  
Weight: 2.3kg



4SMDAP  
**4 Prong Square Drag Fork**

Handle: Ash  
Blade: 203 x 305mm  
Handle length: 2000mm  
Weight: 2kg



OPEN SOCKET SHOVELS

SQ MOUTH SIZES

All our square mouth shovels are available in a full range of sizes.

No.0 – 9"x11½"

No.2 – 10"x12½"

No.4 – 11"x13½"

No.6 – 12"x14½"

No.8 – 13"x15½"

No.10 – 14"x16½"

SQ MOUTH SIZES

All our square mouth shovels are available in a full range of sizes.

No.0 – 9"x11½"

No.2 – 10"x12½"

No.4 – 11"x13½"

No.6 – 12"x14½"

No.8 – 13"x15½"

No.10 – 14"x16½"

REPLACEMENT HANDLES ARE AVAILABLE FOR THESE RANGES



06OSAT	06OSPY	06OSET	06OSEY	08OSAT
No.6 O/S Sq. Mouth	No.6 O/S Sq. Mouth	No.6 O/S Sq. Mouth Economy	No.6 O/S Sq. Mouth Economy	No.8 O/S Sq. Mouth
Handle: Ash T Blade: 305 x 368mm Handle length: 711mm Weight: 2.3kg	Handle: Ash Plastic YD Blade: 305 x 368mm Handle length: 711mm Weight: 2.3kg	Handle: Hardwood T Blade: 305 x 368mm Handle length: 711mm Weight: 2.3kg	Handle: Hardwood Plastic YD Blade: 305 x 368mm Handle length: 711mm Weight: 2.3kg	Handle: Ash T Blade: 330 x 394mm Handle length: 711mm Weight: 2.5kg



08OSPY	10OSAT	10OSPY	PLGSAT	PLGSPY
No.8 O/S Sq. Mouth	No.10 O/S Sq. Mouth	No.10 O/S Sq. Mouth	Polypropylene Grain Scoop	Polypropylene Grain Scoop
Handle: Ash Plastic YD Blade: 330 x 394mm Handle length: 711mm Weight: 2.5kg	Handle: Ash T Blade: 356 x 419mm Handle length: 711mm Weight: 3kg	Handle: Ash Plastic YD Blade: 356 x 419mm Handle length: 711mm Weight: 3kg	Handle: Ash T Blade: 368 x 457mm Handle length: 711mm Weight: 1.4kg	Handle: Ash Plastic YD Blade: 368 x 457mm Handle length: 711mm Weight: 1.4kg



06ALAT	06ALPY	06ALAP48	08ALAT	08ALPY
No.6 O/S Aluminium	No.6 O/S Aluminium	No.6 O/S Aluminium	No.8 O/S Aluminium	No.8 OS Aluminium
Handle: Ash T Blade: 305 x 368mm Handle length: 711mm Weight: 1.6kg	Handle: Ash Plastic YD Blade: 305 x 368mm Handle length: 711mm Weight: 1.6kg	Handle: Ash Blade: 305 x 368mm Handle length: 1220mm Weight: 2kg	Handle: Ash T Blade: 330 x 394mm Handle length: 711mm Weight: 1.8kg	Handle: Ash Plastic YD Blade: 330 x 394mm Handle length: 711mm Weight: 1.8kg



08ALAP48	10ALAT	10ALPY	ALGSAT	ALGSPY
No.8 OS Aluminium	No.10 OS Aluminium	No.10 OS Aluminium	Alum. Grain Scoop	Alum. Grain Scoop
Handle: Ash Blade: 330 x 394mm Handle length: 1220mm Weight: 2kg	Handle: Ash T Blade: 356 x 419mm Handle length: 711mm Weight: 1.8kg	Handle: Ash Plastic YD Blade: 356 x 419mm Handle length: 711mm Weight: 1.8kg	Handle: Ash T Blade: 318 x 394mm Handle length: 711mm Weight: 1.4kg	Handle: Ash Plastic YD Blade: 318 x 394mm Handle length: 711mm Weight: 1.4kg



SCOOPS, GULLY BOWLS & SHOVELS



BOXSCO	GULBO6	GULBO8	PULSCO	PUSSCO
Gully Box Scoop	6" Gully Bowl	8" Gully Bowl	Pull Drain Scoop	Push Drain Scoop
Handle: Ash Blade: 152 x 152 x 76mm Handle length: 1900mm Weight: 2.8kg	Handle: Ash Blade: 150 x 75mm Handle length: 1900mm Weight: 3.4kg	Handle: Ash Blade: 200 x 80mm Handle length: 1900mm Weight: 3.4kg	Handle: Ash Blade: 102 x 406mm Handle length: 2100mm Weight: 3.4kg	Handle: Ash Blade: 102 x 406mm Handle length: 2000mm Weight: 3kg



WCOSEP	2MSBPT	2GSBPT	8GSBPT
West Country Shovel	2 Part Motorist Shovel	No.2 Snow Burner	No.8 Snow Burner
Handle: Hardwood Blade: 254 x 268mm Handle length: 1372mm Weight: 2kg	Handle: Polypropylene Blade: 241 x 267mm Handle length: 711mm Weight: 0.95kg	Handle: Polypropylene Blade: 254 x 318mm Handle length: 711mm Weight: 1.2kg	Handle: Polypropylene Blade: 334 x 410mm Handle length: 711mm Weight: 1.6kg

FENCING

REPLACEMENT HANDLES ARE AVAILABLE FOR THESE RANGES



FENSPA54	PSSAMY	02CHAP	35JA36	MUSDIG
Fencing Spade	Treaded Planting Spade	2lb 'Chillington' Style Hoe	Carpenters Adze	Mushroom Digging Bar
Handle: Tubular Steel Blade: 210 x 279mm Handle length: 1372mm Weight: 3.9kg	Handle: Ash MYD Blade: 152 x 268mm Handle length: 711mm Weight: 2.1kg	Handle: Ash Blade: 150 x 200mm Handle length: 1220mm Weight: 1.6kg	Handle: Hickory Blade: 125 x 300mm Handle length: 914mm Weight: 3.1kg	Handle: Carbon Steel Head: 25mm dia Blade: 65 x 225mm Total height: 1775mm Weight: 7.2kg



POSDIGFG	POSDR16	ALML41	12FM36	10FMFG
Lightweight Shov-Holer	Heavy Duty Post Driver (6")	No.2 Alum. Maul	12lb Cast Fencing Maul	10lb Cast Fencing Maul
Handle: Fibreglass Blade: 152 x 406mm Handle length: 1220mm Weight: 4.8kg	Handle: All Steel Diameter: 152mm dia Total height: 600mm Weight: 15.8kg	Handle: Hickory Handle length: 1041mm Weight: 6.5kg	Handle: Hickory Handle length: 914mm Weight: 6.5kg	Handle: Fibreglass Handle length: 914mm Weight: 5.5kg



STRIKING TOOLS



02SM30	06SM36	08SM36	06BM36	06BMFG
4lb Splitting Maul	6lb Splitting Maul	8lb Splitting Maul	6lb Burst Splitting Maul	6lb Burst Splitting Maul
Handle: Hickory Handle length: 750mm Weight: 2.5kg	Handle: Hickory Handle length: 914mm Weight: 3.6kg	Handle: Hickory Handle length: 914mm Weight: 4.6kg	Handle: Hickory Handle length: 914mm Weight: 3.6kg	Handle: Fibreglass Handle length: 914mm Weight: 3.6kg



25FA28	45FA36	45FAFG	06FA36
2½lb Felling Axe	4½lb Felling Axe	4½lb Felling Axe	6lb Felling Axe
Handle: Hickory Handle length: 711mm Weight: 1.8kg	Handle: Hickory Handle length: 914mm Weight: 2.8kg	Handle: Fibreglass Handle length: 914mm Weight: 2.9kg	Handle: Hickory Handle length: 914mm Weight: 3.7kg



REPLACEMENT HANDLES ARE AVAILABLE FOR THESE RANGES



15HA14	15HAFG	25HA18	35SD16
1½lb Hand Axe	1½lb Hand Axe	2½lb Hand Axe	3½lb. Scottish Dyking
Handle: Hickory Handle length: 357mm Weight: 1kg	Handle: Fibreglass Handle length: 357mm Weight: 1.1kg	Handle: Hickory Handle length: 450mm Weight: 1.5kg	Handle: Hickory Handle length: 406mm Weight: 2.3kg



03MP10	04MP10	30WA10
3lb Masons Punch	4lb Masons Punch	2.5-3lb Walling Hammer
Handle: Hickory Handle length: 254mm Weight: 1.6kg	Handle: Hickory Handle length: 254mm Weight: 2kg	Handle: Hickory Handle length: 254mm Weight: 1.3kg (approx)



SLASHERS, BILL HOOKS & WEDGES



RBSL36	DUSL36	DESL36
Ring & Bolt Irish Slasher	Single Edge Dunse Slasher	Double Edge Slasher
Handle: Hickory Blade: 406mm Handle length: 914mm Weight: 2kg	Handle: Hickory Blade: 305mm Handle length: 914mm Weight: 1.8kg	Handle: Hickory Blade: 305mm Handle length: 914mm Weight: 2kg



DEYKBH	SENTBH	DENTBH
Double Edge Yorkshire Bill Hook	Single Edge Bill Hook	Double Edge Newtown Bill Hook
Handle: Hickory Blade: 305mm Handle length: 360mm Weight: 1.2kg	Handle: Hickory Blade: 325mm Handle length: 125mm Weight: 0.6kg	Handle: Hickory Blade: 325mm Handle length: 125mm Weight: 0.6kg

REPLACEMENT HANDLES ARE AVAILABLE FOR THESE RANGES



8", 9", 9 1/2", 10" Steel Log Splitting Wedges

Code	08SW00	09SW00	95SW00	10SW00
Handle	203mm	229mm	241mm	227mm
Head	1kg	1.8kg	1.8kg	2.2kg



02RIVS  
Shovel Repair Rivets  
Size: 6 x44mm  
Weight: 0.9kg  
Available in packs of approx 70



01MI00  
02MI00 04MI00  
03MI00 05MI00  
Steel Hammer Repair Wedges  
Weight: 0.25kg, 0.43kg, 0.45kg, 0.74kg, 1.5kg  
Sold in packs of 100



875012 (Small)  
875123 (Large)  
Hardwood Hammer Repair Wedges  
Weight: Assorted  
Small = Hand Hammers  
Large = Axes & Sledge Hammers




# TOOLS THAT PROFESSIONALS CHOOSE

## FEATURED PRODUCT



GFSEPY  
**Garden Fork**  
Handle: Ash Ergo YD  
Blade: 191 x 292mm  
Handle length: 750mm  
Weight: 1.8kg



From park keepers to estate managers through to tree surgeons and landscape gardeners, this industry never stops in the constant quest for beautifully crafted horticulture.

Our Perennial range delivers the products needed to achieve perfection, in a range of different styles to suit each individual.



SOLID FORGED SPADES & FORKS



REPLACEMENT HANDLES ARE AVAILABLE FOR THESE RANGES



GSSSAT

Garden Spade

Handle: Ash Shaped T  
Blade: 191 x 292mm  
Handle length: 711mm  
Weight: 2.2kg



GSSEPY

Garden Spade

Handle: Ash Ergo YD  
Blade: 191 x 292mm  
Handle length: 750mm  
Weight: 2.2kg



GSSSWY

Garden Spade

Handle: Ash Wood YD  
Blade: 191 x 292mm  
Handle length: 750mm  
Weight: 2.2kg



GFSSAT

Garden Fork

Handle: Ash Shaped T  
Blade: 191 x 292mm  
Handle length: 711mm  
Weight: 1.8kg



GFSEPY

Garden Fork

Handle: Ash Ergo YD  
Blade: 191 x 292mm  
Handle length: 750mm  
Weight: 1.8kg



GFSSWY

Garden Fork

Handle: Ash Wood YD  
Blade: 191 x 292mm  
Handle length: 750mm  
Weight: 1.8kg



BSSSAT

Border Spade

Handle: Ash Shaped T  
Blade: 140 x 229mm  
Handle length: 711mm  
Weight: 2kg



BSSEPY

Border Spade

Handle: Ash Ergo YD  
Blade: 140 x 229mm  
Handle length: 711mm  
Weight: 2kg



BSSSWY

Border Spade

Handle: Ash Wood YD  
Blade: 140 x 229mm  
Handle length: 711mm  
Weight: 2kg



BFSSAT

Border Fork

Handle: Ash Shaped T  
Blade: 140 x 229mm  
Handle length: 711mm  
Weight: 2kg



BFSEPY

Border Fork

Handle: Ash Ergo YD  
Blade: 140 x 229mm  
Handle length: 750mm  
Weight: 2kg



BFSSWY

Border Fork

Handle: Ash Wood YD  
Blade: 140 x 229mm  
Handle length: 750mm  
Weight: 2kg



STAINLESS STEEL  
SPADES & FORKS



SSGSPY

Stainless Gents Spade

Handle: Ash Ergo YD  
Blade: 191 x 292mm  
Handle length: 711mm  
Weight: 2.5kg



SSGSWY

Stainless Gents Spade

Handle: Ash Wood YD  
Blade: 191 x 292mm  
Handle length: 711mm  
Weight: 2.5kg



SSGFPY

Stainless Gents Fork

Handle: Ash Ergo YD  
Blade: 191 x 292mm  
Handle length: 711mm  
Weight: 2.4kg



SSGFWY

Stainless Gents Fork

Handle: Ash Wood YD  
Fork: 191 x 292mm  
Handle length: 711mm  
Weight: 2.5kg



SSBSPY

Stainless Border Spade

Handle: Ash Ergo YD  
Blade: 140 x 229mm  
Handle length: 711mm  
Weight: 2.3kg



SSBSWY

Stainless Border Spade

Handle: Ash Wood YD  
Blade: 140 x 229mm  
Handle length: 711mm  
Weight: 2.4kg



SSBFPY

Stainless Border Fork

Handle: Ash Ergo YD  
Blade: 140 x 229mm  
Handle length: 711mm  
Weight: 2.2kg



SSBFWY

Stainless Border Fork

Handle: Ash Wood YD  
Blade: 140 x 229mm  
Handle length: 711mm  
Weight: 2.3kg

CULTIVATING TOOLS



REPLACEMENT  
HANDLES ARE  
AVAILABLE FOR  
THESE RANGES



EKTRAT

PerennialPRO Forged  
Treaded Edging Knife

Handle: Extended Ash T  
Blade: 203mm TREADED  
Handle length: 914mm  
Weight: 2kg



ETOSGP

Perennial Lawn  
Edge Knife

Handle: Ash Shaped T  
Blade: 203mm  
Handle length: 914mm  
Weight: 1.5kg



PUHOGP

PerennialPRO Forged  
Push Hoe

Handle: Ash  
Blade: 127mm  
Handle length: 1370mm  
Weight: 1.5kg



DUHOGP

Perennial Garden  
Dutch Hoe

Handle: Ash  
Blade: 127mm  
Handle length: 1370mm  
Weight: 1.3kg



DRHOGP

Perennial Garden  
Draw Hoe

Handle: Ash  
Blade: 127mm  
Handle length: 1372mm  
Weight: 1.3kg



12SRAP

PerennialPRO  
12T Soil Rake

Handle: Ash  
Fork: 300mm  
Handle length: 1500mm  
Weight: 1.7kg



12GRGP

Perennial 12T  
Garden Rake

Handle: Ash  
Blade: 300mm  
Handle length: 1500mm  
Weight: 1.5kg



20LRAP

PerennialPRO 20T  
Spring Lawn Rake

Handle: Ash  
Fork: 500mm  
Handle length: 1200mm  
Weight: 2kg



22LRGP

GardenPRO 22T  
Lawn Rake


Handle: Ash  
Blade: 457mm  
Handle length: 1372mm  
Weight: 1.2kg



26LRGP

GardenPRO  
26T Leaf Rake

Handle: Timber  
Blade: 610mm  
Handle length: 1220mm  
Weight: 1kg



3PCUGP

**Perennial 3 Prong Cultivator**


Handle: Ash  
Fork: 140 x 229mm  
Handle length: 1372mm  
Weight: 1.6kg



TURIRO

**Turfing Iron**

Handle: Ash Shaped T  
Blade: 203 x 241mm  
Handle length: 1220mm  
Weight: 2.7kg



TREPLA

**Sapling Planting Spear**


Handle: Ash T  
Blade: 70 x 203mm  
Handle length: 711mm  
Weight: 1.7kg



HANFOR HANTRO

**Perennial Hand Fork & Trowel**

Handle: Ash  
Blade: 152mm, 152mm  
Handle length: 150mm, 150mm  
Weight: 0.2kg, 0.3kg



FORFOR FORTRO

**PerennialPRO Forged Hand Fork & Towel**

Handle: Ash  
Blade: 152mm, 152mm  
Handle length: 150mm, 150mm  
Weight: 0.2kg, 0.3kg



PRUSAW

**Folding Pruning Saw**


Handle: Polypropylene  
Blade: 203mm  
Weight: 0.3kg



BYPSEC

**By-Pass Secateurs**

Handle: Aluminium  
Total height: 203mm  
Weight: 0.3kg



ANVSEC

**Anvil Secateurs**


Handle: Aluminium  
Total height: 203mm  
Weight: 0.3kg



FORSHE

**Forged Hedge Shears**

Handle: Aluminium  
Blade: 229mm  
Weight: 1.2kg



TSBLOP

**Telescopic By-Pass Lopper**

Handle: Aluminium  
Blade: 686 extending 980mm  
Weight: 1.7kg



TSALOP

**Telescopic Anvil Lopper**

Handle: Aluminium  
Blade: 686 extending 980mm  
Weight: 1.5kg



EDGSHE

**Lawn Edging Shears**

Handle: Aluminium  
Handle length: 910mm  
Weight: 1.2kg

RAKES

REPLACEMENT HANDLES ARE AVAILABLE FOR THESE RANGES



16PREP

**16 T Poly Landscape Rake**

Handle: Hardwood  
Blade: 640mm wide  
Handle length: 1700mm  
Weight: 1.3kg



32PREP

**32 T Poly Landscape Rake**

Handle: Hardwood  
Blade: 640mm wide  
Handle length: 1700mm  
Weight: 1.3kg



48PREP

**48 T Poly Landscape Rake**

Handle: Hardwood  
Blade: 940mm wide  
Handle length: 1700mm  
Weight: 1.3kg



18LREP

**18T. Alum. Landscape Rake**

Handle: Hardwood  
Blade: 700mm wide  
Handle length: 1800mm  
Weight: 1.8kg



18MREP

**18 T Metal Landscaping Rake**

Handle: Hardwood  
Blade: 750mm wide  
Handle length: 1800mm  
Weight: 1.8kg



16GRAP

**16 T Wooden Hay Rake**

Handle: Ash  
Blade: 770mm wide  
Handle length: 1800mm  
Weight: 2.3kg



16GREP

**16 T Wooden Grass Rake**

Handle: Hardwood  
Blade: 750mm wide  
Handle length: 1800mm  
Weight: 1.8kg



21MLREP

**21 T Multi Leaf Rake**

Handle: Hardwood  
Blade: 380mm wide  
Handle length: 1200mm  
Weight: 0.6kg



26CREP

**26 T Combi Leaf Rake**

Handle: Hardwood  
Blade: 600mm wide  
Handle length: 1220mm  
Weight: 0.8kg



20BR60

**20 T Black Bunker Rake**

Handle: Hardwood  
Blade: 450mm wide  
Handle length: 1500mm  
Weight: 1.2kg





# MORE THAN JUST A PIECE OF WOOD

Sometimes tool handles need to be replaced. Being in constant use they can become uncomfortable to use.

To us a handle is more than just a piece of wood. Each handle is carefully selected from straight grained Hardwood, graded by hand with an expert eye, ensuring only the best handles are fitted to all Carters Approved Tools.



# REPLACEMENT HANDLES






500H11 500H12 500H13 500H15 500H16 500H18	505H12 505H13	510H13 510H14	515H10 515H12	520H13
<b>Hickory Engineers Hammer</b>	<b>Hickory Warrington</b>	<b>Hickory Claw Hammer</b>	<b>Hickory Club Hammer</b>	<b>Hickory Pin Hammer</b>
11", 12", 13", 15", 16", 18" BS Lengths	12", 13" BS Lengths	13", 14" BS Lengths	10", 12" BS Lengths	13" BS Length



525H24 525H30 525H36	526H36	530H36	531H36	532H36
<b>Hickory Sledge</b>	<b>Hickory Keying Shaped Hammer</b>	<b>Hickory Heavy Sledge</b>	<b>Hickory Stob Mell</b>	<b>Hickory Extra Heavy</b>
24", 30", 36" Product size: 1 3/4"x1 1/4"	36" Length Product size: 1 7/8"x1 3/8"	36" Length Product size: 2"x1 1/2"	36" Length Product size: 1 3/4"x1 1/2"	36" Length Parallel Eye Product size: 2"x1 1/2"



535H14 535H18	540H36 542H36	545H30 545H36	545H05 545H14
<b>Hickory Hand Axe</b>	<b>Hickory Felling Axe</b>	<b>Hickory Slasher</b>	<b>Hickory Bill Hook Hickory Yorkshire Bill Hook</b>
12", 14", 16", 18", 24" 1 3/4" - 2" Eye Sizes	30"x2 1/4", 36"x2 1/2" also 2 3/4", 3", 3 3/4" Eye Sizes	30" Heavy Pattern 36" Heavy Pattern	5 1/2" (Tanged) 14" Yorkshire Bill Hook



REPLACEMENT HANDLES



550H41 RUBBER 551H41 ALUM	555H36	36NPFG	560H36	565H31 566H36
<b>Hickory Maul Shaft</b>	<b>Hickory Navy Pick</b>	<b>Fibreglass Navy Pick</b>	<b>Hickory Carpenters Adze</b>	<b>No.1 Eye Sckt Universal No.2 Eye Sckt Universal</b>
41" Sq. 2"x1 3/8" Rubber 41" Rect. 2 1/4"x1 1/8" Alum. (1040mm)	36" (900mm) Product size: 3"x2"	36" (900mm) Product size: 3"x2"	36" (900mm) Product size: 2"x1 1/2"	No.1 Eye 30"x1 1/8"x1 1/8" No.2 Eye 36"x2 5/8"x1 1/2"



HAML15	850E30 850E40 850E50 850E60	875FPB	01MI00 02MI00 04MI00 03MI00 05MI00	875123
<b>Hardwood Hand Mallet</b>	<b>Hardwood File Handles</b>	<b>Hardwood Fall Pipe Bobbins</b>	<b>Steel Hammer Repair Wedges</b>	<b>Hardwood Hammer Repair Wedges</b>
2 3/4"x15" Hickory	3", 4", 5", 6"	1 1/2"x3/8" Bore	No.1, No.2, No.3 No.4, No.5	Assorted Widths







Plain

Paralled & Domed 1 End



570H67

**66" Hickory Shunt Pole**

Hooked or Naked  
Product size: 66"x1 1/8"

640A36

**Ash Brushing Hook**

36" Rnd. Eye

640A42

**Ash Mallet Handle**

42" Rnd. Eye

650A48

**Parallel Ash Poles**

4" - 12" Lengths  
Product size: 1 1/2"-1 3/8" dia.

**Shaped**

Narrow Waisted &  
Domed 1 End



925E48

**Economy Hod Shaft - Tapered**

48" Length  
Product size: 1 3/8" dia.

655A48 660A54

**Shaped Ash Poles & Hayfork**

48", 54", 60", 72"  
Assorted lengths  
Product size: 1 1/2" &  
1 3/8" dia.

685A54

**Shaped Ash Handles**

54" Bent Taper  
Product size: 1 1/2" dia.

975E48

**Plain Hardwood Handles**

48" Bent Taper  
Product size: 1 1/2" dia.

910R60 911R54

**Hardwood Broom**

48", 54", 60", 72", 96"  
Blunt or Tapered  
Product sizes: 1 5/8", 1",  
1 1/8", 1 1/4"



700A28 705A28

**St. Taper Ash T  
Bt. Taper Ash T**

Product size: 28"x1 1/2"  
Assorted Lengths from 24"

710A28 715A28

**St. Blunt Ash T  
Bt. Blunt Ash T**

Product size: 28"x1 1/2"  
Assorted Lengths from 24"

720A30 725A32

**St. Lipped Ash T  
Bt. Lipped Ash T**

Product size: 30"x1 1/2"  
Also 32" & 36" Lengths

745A28 755A28

**St. Taper Ash PYD  
Bt. Taper Ash PYD**

Product size: 28"x1 1/2"  
Assorted Lengths from 24"

746A28

**Rec. Taper Ash PYD**

Product size: 28"x1 1/2"  
Assorted Lengths from 24"



707A28

**Rec. Taper Ash T**

Product size: 28"x1 1/2"  
Assorted Lengths from 24"

760M28 765M28

**St. Taper Ash MYD  
Bt. Taper Ash MYD**

Product size: 28"x1 1/2"  
Assorted Lengths from 24"

770A28 775A28

**St. Taper Ash Shaped T  
Bt. Taper Shaped Ash T**

Product size: 28"x1 1/2"  
Assorted Lengths from 24"

880E30

**St. Taper Edge Tool T**

Product size: 28"x1 1/8"

BURBRI

**Pack of 12 briquettes**







Barrel Ash T      Shaped Ash T      Ash MYD



Ash Poly PYD      Poly T - 1" dia      Ash Ergo PYD



St Taper      Bt Taper      Rec Taper



St Blunt      Bt Blunt



St Lipped      Bt Lipped



Shunt Pole Taper      Broom Handle Taper



650A48      660A54  
**Parallel Ash Poles**      **Shaped Ash Poles & Hayfork**  
4' - 12' Lengths      Assorted Lengths  
Product size: 1 1/2" - 1 3/8" dia.      Product size: 1 1/2" & 1 3/8" dia.

# POS DISPLAY STAND



**Package Includes:** 20x Yellow Hooks  
LED Lighting  
"Carters" Perspex Header  
All Fixings

The new Carters POS display stands are now available. If you feel these would benefit your shop display area, please contact your local representative or call the sales office on **01484 666806**





# 1740

## In the beginning...

Jeremiah Carter, a Blacksmith, founded the business in Highburton Huddersfield. He married a local girl and had 12 children, becoming an established 'Edge Tool Manufacturer'.



# 1850

The new company home



# 1939

World War II

# 1990

## 250 Year Anniversary

Joint Managing Directors Richard Carter III and Philip Everitt celebrate 250 years of the business.



**1740  
2015**  
CELEBRATING  
275 YEARS  
UK MANUFACTURING

# 2015

## 275TH ANNIVERSARY YEAR

2015 sees Richard Carter Ltd celebrate 275 years of manufacturing in the UK.


A 9000 Sq. ft. factory expansion began with other exciting plans put into place.

## The Industrial Revolution

The Industrial Revolution completely changed the landscape of UK manufacturing. The company adapted to supply the rapidly expanding coal mining industries in Yorkshire and Nottinghamshire as Great Britain was now the 'workshop of the world'.



# 1800s



# 1914

## World War I

Ernest Carter spent 347 days at war while keeping the family updated with regular letters. Ernest died at war in 1917. During the time of the First World War the business still continued to manufacture large quantities of shovels.


# 1957

Great Factory Fire

# 1999

## New premises

During 1999 the company bought new premises in Honley, which they moved into in 2000. Richard Carter Ltd are still working at the Honley address to this date having expanded the site in 2015.



# 2020

Introduction of new ranges, designed with customers in mind.



## Richard Carter Ltd.

Neiley Works, New Mill Road, Honley, Huddersfield, HD9 6QQ

Tel: 01484 666806 Fax: 01484 666802  
Email: sales.desk@richardcarterltd.co.uk



[www.richardcarterltd.co.uk](http://www.richardcarterltd.co.uk)